

# TENDER NO: 8/3/44-2020 (MN126/2020)

# SUPPLY, DELIVER AND INSTALL PLAYPARK EQUIPMENT IN PIKETBERG, EENDEKUIL AND VELDDRIF

# PROCUREMENT DOCUMENT

NAME OF TENDERER:	
Total Bid Price (Inclusive of VAT) <i>(Refer to page 74)</i> :	
COMPLETION PERIOD IN WORKING DAYS:	Days
B-BBEE LEVEL	

AUGUST 2020

#### PREPARED AND ISSUED BY:

Directorate: Finance: Supply Chain Management Unit Bergrivier Municipality, PO Box 60 Piketberg 7320 Tel no.: (022) 913 6000 CONTACT FOR ENQUIRIES REGARDING SPECIFICATIONS:

Mr. David Carolissen Manager: Community Services

Tel (W): 022 913 6000 Email: <u>carolissend@bergmun.org.za</u>



# TENDER 8/3/44-2020 / MK126/2020: VERSKAF, AFLEWER EN INSTALLEER VAN SPEELPARK TOERUSTING IN PIKETBERG, EENDEKUIL EN VELDDRIF

**TENDERS** word hiermee ingewag van diensverskaffers vir die verskaf, aflewer en installering van speelpark toerusting in Piketberg, Eendekuil en Velddrif, soos uiteengesit in die spesifikasies. Leweransiers moet oor 'n **CIDB gradering** van **1GB of hoër** beskik.

Tenders, in verseëlde koeverte en duidelik buite-op gemerk <u>"Tender 8/3/44-2020 / MK126/2020: Verskaf,</u> <u>aflewer & installeer van speelpark toerusting</u>", moet in die tenderbus by die Munisipale Kantore, Kerkstraat 13, Piketberg geplaas word teen nie later as **12:00** op <u>Vrydag, 18 September 2020</u> waarna tenders in die openbaar oopgemaak sal word.

Dokumente en spesifikasies is verkrygbaar op Bergrivier Munisipaliteit se webtuiste (<u>www.bergmun.gov.za</u>) teen geen tenderfooi of op aanvraag beskikbaar teen 'n <u>nie-terugbetaalbare</u> tenderfooi van R50.00 by Me. Revedy Hendricks by tel. no. (022) 913 6036 of e-pos <u>hendricksr@bergmun.org.za</u> gedurende kantoorure. Alle tegniese navrae moet gerig word aan Mnr. David Carolissen by tel. no. (022) 913 6000 of e-pos: <u>carolissend@bergmun.org.za</u>

Tenders moet geldig en bindend wees vir een honderd en twintig (120) dae na sluitingsdatum.

<u>Hierdie uitnodiging ondersteun die plaaslike vervaardigingsinisiatiewe van die Nasionale regering.SLEGS plaaslik vervaardigde goedere, met 'n vasgestelde minimum drumpel vir plaaslike produksie en inhoud sal oorweeg word. Die Bod dokumentasie wat ingedien word MOET onderhewig wees aan plaaslike inhoud soos uiteengesit in die spesifikasies.</u>

# <u>Verskaffers moet bewys lewer van 'n geldige CIDB gradering van 1GB of hoër, of hul CIDB</u> registrasie nommer.

Tenders sal geëvalueer word ingevolge die Raad se Voorsieningskanaalbestuursbeleid, 80/20-punte stelsel. Dit is dus verpligtend om die Voorkeurverkrygingsvorm te voltooi om te kwalifiseer vir enige voorkeurpunte. **Pryse moet BTW insluit.** 

Verskaffers moet geregistreer wees as 'n voornemende verskaffer op Nasionale Tesourie se Sentrale Databasis (SDB). Die Belastinguitklaringsertifikaat / Belasting ooreenstemmende status Pin / Sentrale verskaffersdatabasis (SDB) nommer (MAAA....), moet saam met die tenderdokument ingedien word. Nienakoming hiervan sal die uitslag van die tender ongeldig verklaar.

Slegs tenders wat in <u>swart</u> ink voltooi is op die oorspronklike dokumentasie sal aanvaar word. Laat, onvolledige of tenders ontvang per faks of e-pos, sal nie aanvaar word nie. Bewys van versending van 'n tender sal nie as bewys van ontvangs van 'n tender gesien word nie. Die Raad is nie verplig om die laagste of enige tender te aanvaar nie. Die Raad behou die reg voor om enige tender of gedeelte daarvan te aanvaar.

MUNISIPALE KANTORE KERKSTRAAT 13 PIKETBERG 7320 ADV. HANLIE LINDE MUNISIPALE BESTUURDER

MK126/2020

28 Augustus 2020



# TENDER 8/3/44-2020 / MN126/2020: SUPPLY, DELIVER AND INSTALL PLAYPARK EQUIPMENT IN PIKETBERG, EENDEKUIL AND VELDDRIF

**TENDERS** are hereby requested from service providers for the supply, delivery and installation of playpark equipment in Piketberg, Eendekuil and Velddrif, as set out in the specifications. Bidders must have a **CIDB grading of 1GB or higher**.

Bids, in sealed envelopes, clearly marked <u>"Tender No 8/3/44-2020 / MN126/2020: Supply, deliver & install playpark equipment"</u>, must be placed in the tender box at the Municipal Offices, 13 Kerk Street, Piketberg no later than <u>12:00 on Friday, 19 September 2020</u> when the bids will be opened in public.

Documents and specifications that contain the minimum requirements are available on Bergrivier Municipality's website (<u>www.bergmun.org.za</u>) free of charge or on request at a <u>non-refundable fee of R50.00</u> from Ms. Revedy Hendricks at tel. no. (022) 913 6036 or <u>hendricksr@bergmun.org.za</u> during office hours. All technical enquiries can be addressed to Mr. David Carolissen at tel. no. (022) 913 6000 or e-mail: <u>carolissend@bergmun.org.za</u>.

Tenders must be valid and binding for one hundred and twenty (120) days after closing date.

This invitation supports the national government's local manufacturing initiatives. Only locally produced goods, with a set minimum threshold for local production and content, will be considered. The Bid documentation submitted MUST be subject to local content as set out in the specifications.

# Bidders must provide proof of a valid CIDB grading of 1GB or higher, or their CIDB registration number.

Bids will be evaluated using the Council's Supply Chain Management Policy. It is therefore compulsory that the Preference Point Claim form for the Preferential Procurement Regulations is completed in full to make application for preference points. **The Bid price must be VAT inclusive.** 

Bidders must be registered as a prospective supplier on National Treasury's Central Supplier Database (CSD). The Tax Clearance Certificate/ Tax Compliance Status (TCS) Pin/ Centralised Suppliers Database (CSD) Registration Number must be submitted together with the bid. Failure to submit a Tax Clearance Certificate/TCS Pin/CSD registration number may result in the invalidation of the bid.

Only bids completed in **black** ink on the original Bid documentation will be accepted. Late, incomplete or Bids submitted by facsimile or email will not be accepted. Proof of submitting a Bid will not be accepted as proof of the Bid having been received. The Municipality is not obliged to accept the lowest or any Bid submitted to it. The Municipality reserves the right to accept any Bid in full or in part.

MUNICIPAL OFFICES 13 CHURCH STREET PIKETBERG 7320 ADV. HANLIE LINDE MUNICIPAL MANAGER

MN126/2020

28 August 2020



TENDER NUMBER:	TENDER 8/3/44-2020 MN126/2020								
TENDER TITLE:	SUPPLY, DELIVER AND INSTALL PLAYPARK EQUIPMENT IN PIKETBERG, EENDEKUIL AND VELDDRIF								
CLOSING DATE:	19 Se	Friday, ptember 2	020 CLOSING 12H00						
SITE MEETING:	DATE:	N/A		TIME:		١	N/A	COMPULSORY:	N/A
SITE MEETING ADDRESS:	N/A	N/A							
NB: Please note that no late	ecomers wi	ll be allowed.							
For all compulsory briefing sessions/site meetings/clarification meetings, bids received from interested bidders that did not attend the meeting or arrived later than predetermined date and time, will be <b>disgualified</b>					hat did not				
CIDB GRADING REQUIRED:	YES	YES LEVEL AND CATEGORY: 1GB							
BID BOX:		D AT: BERGRIN						, BERGRIVIER.	
OFFER TO BE VALID FOR:	120 DAYS	DAYS FROM	OM THE CLOSING DATE OF BID.						
TENDERER DETAILS (Pleas	ease indicate postal address for all correspondence relevant to this specific tender)								
NAME OF TENDERER:	R:								
NAME OF CONTACT PERSON:					CELL PH	IONE	NO:		
PHYSICAL ADDRESS:					POSTA ADDRE	-			
TELEPHONE #:					FAX NO	Э.			
E-MAIL ADDRESS:									
DATE:									
SIGNATURE OF TENDERER	:								
CAPACITY UNDER WHICH	THIS BID IS	SIGNED:							
PLEASE NOTE:         1. Tenders that are deposited in the incorrect box will not be considered.         2. Mailed, telegraphic or faxed tenders will not be accepted.         3. If the bid is late, it will not be accepted for consideration.         4. Bids may only be submitted on the Bid Documentation provided by the Municipality.									
ENQUIRIES MAY BE DIRECTED TO:		CONTACT PERSON			. NUMBE	R		EMAIL ADDRE	SS
1. TECHNICAL ENQUIRIE	s	Mr. David Carolissen	022 913 6000		00	caro	lissend@bergn	nun.org.za	
2. ENQUIRIES REGARDING BID PROCEDURES & COMPLETION OF BID DOCUMENTS		Mr. Israel Saunders	n caronssend@bergmun.org			un.org.za			



# BERGRIVIER MUNICIPALITY CONTENTS

# PAGE NUMBER

1.	TENDER NOTICE & INVITATION TO TENDER	1-4
PART A -	- ADMINISTRATIVE REQUIREMENTS IN TERMS OF THE SUPPLY CHAIN MANAGEMENT POLICY	6
2.	CHECKLIST	7
3.	AUTHORITY TO SIGN A BID	8-9
4.	CERTIFICATE OF AUTHORITY FOR JOINT VENTURES	10
5.	GENERAL CONDITIONS OF TENDER	11-21
6.	MBD 2 – TAX CLEARANCE CERTIFICATE REQUIREMENTS	22-23
7.	MBD 4 – DECLARATION OF INTEREST	24-26
8.	MBD6.1 – PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2011 – PURCHASES/SERVICES 80/20	27-31
8.	MBD6.2 – DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS	32-41
9.	MBD 8 – DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES	42-43
10.	MBD 9 – CERTIFICATE OF INDEPENDENT BID DETERMINATION	44-45
11.	MBD 10 – CERTIFICATE FOR PAYMENT OF MUNICIPAL SERVICES	46
12.	COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993 (ACT 130 OF 1993)	47
13.	FORM OF INDEMNITY	48
PART B -	- SPECIFICATIONS	49-52
14.	SCHEDULE FOR PLANT AND EQUIPMENT	53
15.	SCHEDULE FOR SUBCONTRACTORS	54
16.	SCHEDULE FOR WORK EXPERIENCE	55-56
17.	FORM OFFER	57-58
18.	PRICING SCHEDULE	59
19.	DECLARATION BY TENDERER	60



# **PART A** – ADMINISTRATIVE REQUIREMENTS IN TERMS OF THE SUPPLY CHAIN MANAGEMENT POLICY



1. CHECKLIST

# PLEASE ENSURE THAT THE FOLLOWING FORMS HAVE BEEN DULY COMPLETED AND SIGNED AND THAT ALL DOCUMENTS AS REQUESTED, ARE ATTACHED TO THE TENDER DOCUMENT:

Authority to Sign a Bid - Is the form duly completed and is a certified copy of the resolution attached?	Yes	No
Tax Clearance Certificate -VALID Tax Clearance Certificate attached/ Tax compliance pin?	Yes	No
MBD 4 (Declaration of Interest) - Is the form duly completed and signed?	Yes	No
MBD 6.1 (Preference Points claim form for purchases/services) - Is the form duly completed and signed? Is a CERTIFIED copy of the B-BBEE Certificate or the original B-BBEE Certificate attached?	Yes	No
MBD 6.2 (Local Content) - Is the form duly completed and signed? Is a copy of the exchange rates included as per date of advert attached?	Yes	No
MBD 8 (Declaration of Past Supply Chain Practices) - Is the form duly completed and signed?	Yes	No
MBD 9 (Certificate of Independent Bid Determination) - Is the form duly completed and signed?	Yes	No
<b>MBD 10</b> (Certificate of Payment of Municipal Accounts) - Is the form duly completed and signed? Are the <b>Identity numbers</b> , <b>residential addresses</b> and <b>municipal account numbers</b> of <b>ALL</b> members, partners, directors, etc. provided on the form as requested? Are copies of these municipal accounts attached?	Yes	No
OHSA (Occupational Health and Safety) - Is the form duly completed and signed? Is a valid Letter of Good Standing from the Compensation Commissioner attached?	Yes	No
Form of Indemnity - Is the form duly completed and signed?	Yes	No
Pricing Schedule - Is the form duly completed and signed?	Yes	No
Form of Offer- Is the form duly completed and signed?	Yes	No
Declaration by Tenderer - Is the form duly completed and signed?	Yes	No

SIGNATURE	NAME (PRINT)	
CAPACITY	DATE	
NAME OF FIRM		

 Reference No:
 T8/3/44-2020 MN126/2020
 INITIAL
 Page 7 of 77



#### 2. AUTHORITY TO SIGN A BID

#### 1. SOLE PROPRIETOR (SINGLE OWNER BUSINESS) AND NATURAL PERSON

1.1. I	·,	the undersigned,	hereby	confirm that	I am the

submitting this tender in my capacity as natural person.

SIGNATURE:	DATE:	
PRINT NAME:		
WITNESS 1:	WITNESS 2:	

#### 2. COMPANIES AND CLOSE CORPORATIONS

- 2.1. If a Bidder is a COMPANY, a certified copy of the resolution by the board of directors, duly signed, authorising the person who signs this bid to do so, as well as to sign any contract resulting from this bid and any other documents and correspondence in connection with this bid and/or contract on behalf of the company **must be submitted with this bid**, that is, before the closing time and date of the bid
- 2.2. In the case of a CLOSE CORPORATION (CC) submitting a bid, a resolution by its members, authorizing a member or other official of the corporation to sign the documents on their behalf, shall be included with the bid.

PARTICULARS OF RESOLUTION BY BOARD OF DIRECTORS OF THE COMPANY/MEMBERS OF THE CC

Date Resolution was taken							
Resolution signed by (name and surname)							
Сара	acity						
Nam	e and surname of deleg	gated Authorized Signatory					
Сара	acity						
Spec	cimen Signature						
Full name and surname of ALL Director(s) / Member (s)							
1.			2.				
3.			4.				
5.	5.		6.				
7.			8.				
9.			10.				
Is a CERTIFIED COPY of the resolution attached?				YES	NO		
	NED ON BEHALF OF IPANY / CC:	F		DATE:			
PRINT NAME:					 		
WITN	NESS 1:			WITNE	SS 2:		

**Reference No:** 

Т



#### 3. PARTNERSHIP

We, the undersigned partners in the business trading as \_\_\_\_\_\_\_hereby authorize Mr/Ms \_\_\_\_\_\_\_to sign this bid as well as any contract resulting from the bid and any other documents and correspondence in connection with this bid and /or contract for and on behalf of the abovementioned partnership.

The following particulars in respect of every partner must be furnished and signed by every partner:

	Full name of partner	Signature	
SIGNED ON BEHALF OF PARTNERSHIP:		DATE:	
PRINT NAME:			
WITNESS 1:		WITNESS 2:	

#### 4. CONSORTIUM

We, the undersigned consortium partners, hereby authorize\_\_\_\_

\_\_\_\_\_ (Name of entity) to act as lead consortium partner and further authorize Mr./Ms.

\_\_\_\_\_ To sign this offer as well as any contract resulting from this

tender and any other documents and correspondence in connection with this tender and / or contract for and on behalf of the consortium.

The following particulars in respect of each consortium member must be provided and signed by each member:

Full Name of Consortium Member	Role of Consortium Member	% Participation	Signature
SIGNED ON BEHALF OF PARTNERSHIP:		DATE:	
PRINT NAME:			
WITNESS 1:	WITNES	S 2:	

<b>Reference No:</b>	Т	8/3/44-2020 MN126/2020	Initials	Page 9 of 77
----------------------	---	------------------------	----------	--------------



#### 3. CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

#### This returnable schedule is to be completed by JOINT VENTURES

We, the undersigned, are submitting this tender offer in joint venture and hereby authorize Mr./Ms.

authorized signatory of the Company/Close Corporation/Partnership (name) \_\_\_\_

, acting in the capacity of lead partner, to

sign all documents in connection with the tender offer and any contract resulting from it on our behalf.

(i) Name of firm (Le	ead partner)		
Address			
Address		Tel	el. No.
Signature		De	Designation

(ii) Name of firm			
Address			
Address		Tel. No.	
Signature		Designation	

(iii)Name of firm			
Address:			
Address.		Tel. No.	
Signature		Designation	

(iv) Name of firm			
Address			
Address		Tel. No.	
Signature		Designation	

# NOTE: A copy of the Joint Venture Agreement showing clearly the percentage contribution of each partner to the Joint Venture, shall be appended to this Schedule.

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 10 of 77
---------------	---	------------------------	----------	---------------



#### 4. GENERAL CONDITIONS OF CONTRACT – GOVERNMENT PROCUREMENT

#### 1. DEFINITIONS

The following terms shall be interpreted as indicated:

- 1.1. "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2. "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3. "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4. "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5. "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally
- 1.6. "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7. "Day" means calendar day.
- 1.8. "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9. "Delivery ex stock" means immediate delivery directly from stock actually on hand
- 1.10. "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11. "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12. "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable.
- 1.13. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.14. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.
- 1.15. "GCC" means the General Conditions of Contract.
- 1.16. "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.17. "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 11 of 77
---------------	---	------------------------	----------	---------------



- 1.18. "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.19. "Manufacture" means the production of products in a factory using labor materials, components and machinery and includes other related value-adding activities.
- 1.20. "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.21. "Project site" where applicable, means the place indicated in bidding documents.
- 1.22. "Purchaser" means the organization purchasing the goods.
- 1.23. "Republic" means the Republic of South Africa.
- 1.24. "SCC" means the Special Conditions of Contract.
- 1.25. "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.26. "Supplier" means the successful bidder who is awarded the contract to maintain and administer the required and specified service(s) to the State.
- 1.27. "Tort" means in breach of contract.
- 1.28. "Turnkey" means a procurement process where one service provider assumes total responsibility for all aspects of the project and delivers the full end product / service required by the contract.
- 1.29. "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

#### 2. Application

- 2.1. These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2. Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3. Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

#### 3. General

- 3.1. Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid. Where applicable a non-refundable fee for documents may be charged.
- 3.2. Invitations to bid are usually published in locally distributed news media and on the municipality / municipal entity website.

#### 4. Standards

4.1. The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

#### 5. Use of contract documents and information; inspection.

- 5.1. The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 5.2. The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.

ference No: T 8/3/44-2020 MN126/2020	Initials	Page 12 of 77
--------------------------------------	----------	---------------



- 5.3. Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4. The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

#### 6. Patent rights

- 6.1. The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.
- 6.2. When a supplier developed documentation / projects for the municipality / municipal entity, the intellectual, copy and patent rights or ownership of such documents or projects will vest in the municipality / municipal entity.

#### 7. Performance security

- 7.1. Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2. The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3. The performance security shall be denominated in the currency of the contract or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
  - 7.3.1. bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
  - 7.3.2. a cashier's or certified cheque.
- 7.4. The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified.

#### 8. Inspections, tests and analyses

- 8.1. All pre-bidding testing will be for the account of the bidder.
- 8.2. If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspections tests and analysis, the bidder or contractor's premises shall be open, at all reasonable hours, for inspection by a representative of the purchaser or an organization acting on behalf of the purchaser.
- 8.3. If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4. If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the goods to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5. Where the goods or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such goods or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6. Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 13 of 77
---------------	---	------------------------	----------	---------------



- 8.7. Any contract goods may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected goods shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with goods which do comply with the requirements of the contract. Failing such removal the rejected goods shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute the rejected goods, purchase such goods as may be necessary at the expense of the supplier.
- 8.8. The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 22 of GCC.

#### 9. Packing

- 9.1. The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2. The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, and in any subsequent instructions ordered by the purchaser.

#### 10. Delivery

Delivery of the goods shall be made by the supplier in accordance with the documents and terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified.

#### 11. Insurance

The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified.

#### 12. Transportation

Should a price other than an all-inclusive delivered price be required, this shall be specified.

#### 13. Incidental

- 13.1. The supplier may be required to provide any or all of the following services, including additional services, if any:
  - 13.1.1. performance or supervision of on-site assembly and/or commissioning of the supplied goods;
  - 13.1.2. furnishing of tools required for assembly and/or maintenance of the supplied goods;
  - 13.1.3. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
  - 13.1.4. performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
  - 13.1.5. training of the purchaser's personnel, at the supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2. Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

#### 14. Spare parts

14.1. As specified, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 14 of 77
---------------	---	------------------------	----------	---------------



- 14.1.1. such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and;
- 14.1.2. in the event of termination of production of the spare parts:
  - 14.1.2.1. advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
  - 14.1.2.2. following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

#### 15. Warranty

- 15.1. The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2. This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.
- 15.3. The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4. Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5. If the supplier, having been notified, fails to remedy the defect(s) within the period specified, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

#### 16. Payment

- 16.1. The method and conditions of payment to be made to the supplier under this contract shall be specified.
- 16.2. The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- 16.3. Payments shall be made by the purchaser **no later than thirty (30**) days after submission of an **invoice, statement** or claim by the supplier.
- 16.4. Payment will be made in Rand unless otherwise stipulated.

#### 17. Prices

Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized or in the purchaser's request for bid validity extension, as the case may be.

#### 18. Variation orders

In cases where the estimated value of the envisaged changes in purchase does not vary more tha15% of the total value of the original contract, the contractor may be instructed to deliver the goods or render the services as such. In cases of measurable quantities, the contractor may be approached to reduce the unit price and such offers, may be accepted provided that there is no escalation in price.

#### 19. Assignment

The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

Reference No: T 8/3/44-2020 MN126/2020	Initials	Page 15 of 77
--	----------	---------------



#### 20. Subcontracts

The supplier shall notify the purchaser in writing of all subcontracts awarded under this contract, if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

#### 21. Delays in the supplier's performance

- 21.1. Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2. If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.
- 21.3. The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.4. Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 22 without the application of penalties.
- 21.5. Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without cancelling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

#### 22. Penalties

Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

#### 23. Termination for default

- 23.1. The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
  - 23.1.1. if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
  - 23.1.2. if the Supplier fails to perform any other obligation(s) under the contract; or
  - 23.1.3. if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2. In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3. Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.

Reference No: T 8/3/44-2020 MN126/2020	Initials	Page 16 of 77
--	----------	---------------



- 23.4. If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated fourteen (14) days the purchaser may regard the supplier as having no objection and proceed with the restriction.
- 23.5. Any restriction imposed on any person by the purchaser will, at the discretion of the purchaser, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the purchase actively associated.
- 23.6. If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
  - 23.6.1. the name and address of the supplier and / or person restricted by the purchaser;
  - 23.6.2. the date of commencement of the restriction
  - 23.6.3. the period of restriction; and
  - 23.6.4. the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

23.7. If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.

#### 24. Anti-dumping and countervailing duties and rights

When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped of subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favorable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other amount which may be due to him.

#### 25. Force Majeure

- 25.1. Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2. If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

#### 26. Termination for insolvency

The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 17 of 77
---------------	---	------------------------	----------	---------------



#### 27. Settlement of Disputes

- 27.1. If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2. If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3. Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4. Notwithstanding any reference to mediation and/or court proceedings herein,
  - 27.4.1. the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
  - 27.4.2. the purchaser shall pay the supplier any monies due for goods delivered and / or services rendered according to the prescripts of the contract.

#### 28. Limitation of liability

- 28.1. Except in cases of criminal negligence or wilful misconduct, and in the case of infringement pursuant to Clause 6;
  - 28.1.1. the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and
  - 28.1.2. the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment

#### 29. Governing language

The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

#### 30. Applicable law

The contract shall be interpreted in accordance with South African laws, unless otherwise specified.

#### 31. Notices

- 31.1. Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice
- 31.2. The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

#### 32. Taxes and duties

- 32.1. A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2. A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3. No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid SARS must have certified that the tax matters of the preferred bidder are in order.
- 32.4. No contract shall be concluded with any bidder whose municipal rates and taxes and municipal services charges are in arrears.

<b>Reference No:</b>	Т	8/3/44-2020 MN126/2020	Initials	Page 18 of 77
----------------------	---	------------------------	----------	---------------



#### 33. Transfer of contracts

The contractor shall not abandon, transfer, cede, assign or sublet a contract or part thereof without the written permission of the purchaser.

#### 34. Amendment of contracts

No agreement to amend or vary a contract or order or the conditions, stipulations or provisions thereof shall be valid and of any force unless such agreement to amend or vary is entered into in writing and signed by the contracting parties. Any waiver of the requirement that the agreement to amend or vary shall be in writing, shall also be in writing.

#### 35. Prohibition of restrictive practices.

- 35.1. In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder(s) is / are or a contractor(s) was / were involved in collusive bidding.
- 35.2. If a bidder(s) or contractor(s) based on reasonable grounds or evidence obtained by the purchaser has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in section 59 of the Competition Act No 89 of 1998.
- 35.3. If a bidder(s) or contractor(s) has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

General Conditions of Contract (revised July 2010)

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 19 of 77
---------------	---	------------------------	----------	---------------



- 5. GENERAL CONDITIONS OF TENDER
- 1. Sealed tenders, with the **"TENDER NUMBER: 8/3/44-2020 MN126/2020"** clearly endorsed on the envelope, must be deposited in the **TENDER BOX** at the offices of the Bergrivier Municipality, Kerk Street, Piketberg 7320.
- 2. The tender must be lodged by the Tenderer in the tender box in the Main Entrance, Bergrivier Municipal Offices, Kerk Street, Piketberg 7320.

#### PLEASE NOTE:

- 2.1. Tenders that are deposited in the incorrect box will not be considered.
- 2.2. Mailed, telegraphic or faxed tenders will not be accepted.
- 2.3. Documents may only be completed in non-erasable ink.
- 2.4. The use of correction fluid/tape is not allowed.
  - 2.4.1. In the event of a mistake having been made, it shall be crossed out in ink and be accompanied by an initial at each and every alteration.
  - 2.4.2. Alterations or deletions not signed by the Tenderer may render the tender invalid.
- 2.5. All bids must be submitted in writing on the official forms supplied (not to be re-typed)
- 2.6. All prices shall be quoted in South African currency and be **INCLUSIVE of VAT.**
- 3. Where the value of an intended contract will exceed R1 000 000, 00 (R1 million) it is the bidder's responsibility to be registered with the South African Revenue Service (SARS) for VAT purposes in order to be able to issue tax invoices. The municipality will deem the price above R 1 000 000.00 (R1 million) to be VAT inclusive even if it is indicated that no VAT is charged. Please insure that provision is made for VAT in these instances.
  - 3.1 It is a requirement of this contract that the amount of value-added tax (VAT) must be shown clearly on each invoice.
    - 3.2 The amended Value-Added Tax Act requires that a Tax Invoice for supplies in excess of R3 000 should, in addition to the other required information, also disclose the VAT registration number of the recipient, with effect from 1 March 2005. The VAT registration number of the Bergrivier Municipality is <u>4000 846 172.</u>
- 3 Any Tender received after the appointed time for the closing of Tenders shall not be considered but shall be filed unopened with the other Tenders received or may be returned to the Tenderer at his request.
- 4 Tenders may not be telefaxed to the Municipality and therefore any tenders received by fax will **not** be considered.
- 5 Tenders shall be opened in public at the Bergrivier Municipal Offices as soon as possible after the closing time for the receipt of tenders. Tenderers are encourage to attend these openings.
- 6 The Municipality shall have the right to summarily disqualify any Tenderer who, either at the date of submission of this tender or at the date of its award, is indebted to the Municipality in respect of any rental, levies, rates and/or service charges; ALTERNATIVELY;
- 6.1 That an agreement be signed whereby the Tenderer agrees that a percentage or fixed amount at the discretion of the Municipality, be deducted from payments due to him for this tender, until the debt is paid in full.
- 6.2 The tenderer shall declare **all** the Municipal account numbers in the Bergrivier Area for which the enterprise or the proprietors or directors in their personal capacity is/ are responsible or co-responsible.

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 20 of 77
---------------	---	------------------------	----------	---------------



7 This bid will be evaluated and adjudicated according to the following criteria:

7.1 Relevant specifications7.2 Value for money7.3 Capability to execute the contract7.4 PPPFA & associated regulations

#### 8 Service Level Agreement

The award of the tender is subject to the signing of a Service Level Agreement (SLA) between the successful bidder and Bergrivier Municipality.

#### 9 Centralised Supplier Database

No Bids will be awarded to a bidder who is not registered on the Centralized Supplier Database (CSD).

The CSD supplier number starting with (MAAA) number is automatically generated by the Central Database System after successful registration and validation of a prospective service provider. This number is now a mandatory requirement, as referred to in regulation 14(1) *(b)* of the Municipal Supply Chain Management Regulations, as part of the listing criteria for accrediting a prospective service provider. Prospective suppliers should self – register on the CSD website at <u>www.csd.gov.za</u> Registration on the CSD will be compulsory in order to conduct business with the Bergrivier Municipality. Registration on CSD can be done by contacting 022 913 6000 Mrs. Revedy Hendricks.

Centralized Supplier Database (CSD) No. MAAA.....



#### 6. MBD 2 - TAX CLEARANCE CERTIFICATE REQUIREMENTS

It is a condition of bid that the taxes of the successful bidder must be in order, or that satisfactory arrangements have been made with South African Revenue Service (SARS) to meet the bidder's tax obligations.

- The <u>Tax Clearance Certificate/</u> Tax Compliance Status (<u>TCS) Pin/</u> Centralised Suppliers Database (CSD) Registration Number <u>must be submitted together with the bid</u>. Failure to submit a Tax Clearance Certificate/TCS Pin/CSD registration number may result in the invalidation of the bid.
  - (a) Tax Compliance Status (TCS) Pin as of 18 April 2016
    - i. In terms of the new Tax Compliance Status System implemented by SARS on 18 April 2016, taxpayers are now able to issue the municipality with a TCS Pin which will be used to verify a bidder's tax status online via SARS E-filing. This option will be used to verify the status of the service provider (which should be active or compliant) and will determine if the offer will be further evaluated or omitted, even if the bidder only submitted a TCC as per point 1 above. Service provider's status which is found inactive or non-compliant their offers will be omitted. Bidders who are not in possession of an valid Tax Clearance Certificate must issue the municipality with the following:

Tax Clearance Certificate printed for SARS E-filing				
Tax Reference Number:				
Tax Compliance Status Pin:				

- 2. In bids where Consortia / Joint Ventures / Sub-contractors are involved, each party must submit a separate Tax Clearance Certificate, Tax Compliance Status Pin or CSD Registration number
- 3. Applications for the Tax Clearance Certificates may also be made via e-Filing. In order to use this provision, taxpayers will need to register with SARS as e-Filers through the website <u>www.sars.gov.za</u>.
- 4. <u>If a bidder is registered on Bergrivier Municipality supplier's database; that contains a tax</u> <u>clearance certificate which is active on closing date of Bid/Formal quotation, it must be indicated</u> <u>as such on this page, whereby the attaching of a new tax clearance certificate to this page will</u> <u>not be required.</u>
- 5. Non-adherence to point 4 above may invalidate your offer.

□ YES

□ YES

□ YES



# **BERGRIVIER MUNICIPALITY**

#### PART B: TERMS AND CONDITIONS FOR BIDDING

#### . BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR ONLINE
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.

#### 2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR THE TAX COMPLIANCE STATUS (TCS) CERTIFICATE OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
- 2.4 FOREIGN SUPPLIERS MUST COMPLETE THE PRE-AWARD QUESTIONNAIRE IN PART B:3.
- 2.5 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.6 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED; EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.7 WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

#### 3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

3.1.	IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?	🗌 YES
------	---	-------

- 3.2. DOES THE ENTITY HAVE A BRANCH IN THE RSA?
- 3.3. DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?

3.4. DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?

3.5. IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED:	
DATE:	



#### 7. MBD 4 – DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state<sup>1</sup>.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority and/or take an oath declaring his/her interest.
- 3. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid:

3.1.	Full Name of bidder or his or her representative									
3.2.	Identity Number									
3.3.	Position occupied in the Company (director, shareholder <sup>2</sup> etc.)									
3.4.	Company Registration Number									
3.5.	Tax Reference Number									
3.6.	VAT Registration Number									
-										
3.7.	Are you presently in the service of the state?						YES	5	NO	
<b>3.7.</b> 3.7.1.	Are you presently in the service of the state?           If so, furnish particulars:						YES	5	NO	
						 	YE	5	NO	
						 	YE	5	NO	
						 	YES	<b>3</b>	NO	
						 	YES	<b>3</b>	NO	
		e past tw	velve mo	onths	?		YE		NO	

<sup>1</sup> MSCM Regulations: "in the service of the state" means to be –

a. a member of –

- i. any municipal council;
- ii. any provincial legislature; or
- iii. the National Assembly or the National Council of Provinces;
- b. a member of the board of directors of any municipal entity;
- c. an official of any municipality or municipal entity;
- d. an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- e. an executive member of the accounting authority of any national or provincial public entity; or
- f. an employee of Parliament or a provincial legislature.
- <sup>2</sup> "Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.



3.9.	Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid?	YES	NO	
3.9.1.	If so, furnish particulars:			
3.10.	Are you aware of any relationship (family, friend, other) between a bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid?	YES	NO	
3.10.1.	If so, furnish particulars:			
3.11.	Are any of the company's directors, managers, principal shareholders or stakeholders in the service of the state?	YES	NO	
3.11.1.	If so, furnish particulars:			
3.11.1.	If so, furnish particulars:			
3.11.1. 3.12.	If so, furnish particulars: Is any spouse, child or parent of the company's directors, managers, principal shareholders or stakeholders in the service of the state?	YES	NO	
	Is any spouse, child or parent of the company's directors, managers, principal	YES	NO	
3.12.	Is any spouse, child or parent of the company's directors, managers, principal shareholders or stakeholders in the service of the state?	/parent:.		
3.12.	Is any spouse, child or parent of the company's directors, managers, principal shareholders or stakeholders in the service of the state?         If so, furnish particulars:         Name of the spouse/child/parent :         Relationship to the official	/parent:.		
<b>3.12.</b> 3.12.1.	Is any spouse, child or parent of the company's directors, managers, principal shareholders or stakeholders in the service of the state? If so, furnish particulars: Name of the spouse/child/parent : ID number of the spouse/child Relationship to the official : Designation of the spouse/chil Employer of the spouse/child/parent : Do you or any of the directors, trustees, managers, principal shareholders, or stakeholders of this company have any interest in any other related companies or	/parent:. ld/parent		



3.14.	Please provide the following information on ALL directors/shareholders/trustees/members below:								
	Full Name and Surname	Identity Number	Personal Income Tax Number	Provide State <sup>3</sup> Employee Number					

N	D.
	D.

- a) PLEASE ATTACH CERTIFIED COPY(IES) OF ID DOCUMENT(S)
- PLEASE PROVIDE PERSONAL INCOME TAX NUMBERS FOR ALL DIRECTORS / b) SHAREHOLDERS / TRUSTEES / MEMBERS, ETC.

#### 4. DECLARATION

I, the undersigned (name)

certify that the information furnished in paragraph 3 above is correct.

I accept that the state may act against me should this declaration prove to be false.

SIGNATURE	DATE	
NAME OF SIGNATORY		
POSITION		
NAME OF COMPANY		

<sup>3</sup> MSCM Regulations: "in the service of the state" means to be –

a member of а.

b.

- any municipal council; i.
- any provincial legislature; or ii.
- the National Assembly or the National Council of Provinces; iii.
- a member of the board of directors of any municipal entity;
- an official of any municipality or municipal entity; an employee of any national or provincial department, national or provincial public entity or constitutional c. d. institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- е. an executive member of the accounting authority of any national or provincial public entity; or
- f. an employee of Parliament or a provincial legislature.



#### 8. PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017 – PURCHASES/SERVICES "Insert 80/20 or 90/10"

NB: Before completing this form, bidders must study the general conditions, definitions and directives applicable in respect of B-BBEE, as prescribed in the Preferential Procurement Regulations, 2017.

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - The value of this bid is estimated to exceed/not exceed R50 000 000 (all applicable taxes included) and therefore the 80/20 or 90/10 preference point system shall be applicable; or
- 1.2 Points for this bid shall be awarded for:
  - (a) Price; and
  - (b) B-BBEE Status Level of Contributor.
- 1.3 The maximum points for this bid are allocated as follows:

	POINTS
1.1.1. Price	80
1.1.2. B-BBEE status level of contribution	20
Total points for Price and B-BBEE must not exceed	100

- 1.4 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.
- 1.5 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

#### 2. DEFINITIONS

- 2.1 **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- 2.2 **"B-BBEE status level of contributor"** means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- 2.3 **"bid"** means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- 2.4 **"Broad-Based Black Economic Empowerment Act"** means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003); as amended by Act No. 46 of 2013; (this was added by us)
- 2.5 **"EME"** means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- 2.6 "functionality" means the ability of a tenderer to provide goods or services in accordance with

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 27 of 77
---------------	---	------------------------	----------	---------------



specifications as set out in the tender documents.

- 2.7 "prices" includes all applicable taxes less all unconditional discounts;
- 2.8 "proof of B-BBEE status level of contributor" means:
  - 2.8.1 B-BBEE Status level certificate issued by an authorized body or person;
  - 2.8.2 A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
  - 2.8.3 Any other requirement prescribed in terms of the B-BBEE Act;
- 2.9 **"QSE"** means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- 2.10 **"rand value"** means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

#### 3. POINTS AWARDED FOR PRICE

## 3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10  

$$Ps = 80\left(1 - \frac{Pt - P \min}{P \min}\right)$$
 Or  $Ps = 90\left(1 - \frac{Pt - P \min}{P \min}\right)$ 

#### Where:

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

## 4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTION

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0



# 5. BID DECLARATION

- 5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:
- 6. B -BBEE STATUS LEVEL OF CONTRIBUTION CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1
- 6.1 B-BBEE Status Level of Contributor: = ...... (maximum of 10 or 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by means of a B-BBEE certificate issued by a Verification Agency accredited by SANAS or a Registered Auditor approved by IRBA or a sworn affidavit.

## 7. SUB-CONTRACTING

7.1 Will any portion of the contract be sub-contracted? ( <i>Tick applicable box</i> )		NO					
7.1.1 If yes, indicate:							
7.1.1.1 what percentage of the contract will be subcontracted?			%				
7.1.1.2 the name of the sub-contractor?							
7.1.1.3 the B-BBEE status level of the sub-contractor?							
7.1.1.4 whether the sub-contractor is an EME or QSE? ( <i>Tick applicable box</i> )	YES		NO				

# 7.1.1.5 Specify, by ticking the appropriate box, if subcontracting with an enterprise in terms of Preferential Procurement Regulations, 2017:

Designated Group: An EME or QSE which is at last 51% owned by:	EME √	$QSE_{}$
Black people		
Black people who are youth		
Black people who are women		
Black people with disabilities		
Black people living in rural or underdeveloped areas or townships		
Cooperative owned by black people		
Black people who are military veterans		
OR		
Any EME		
Any QSE		

т



# 8. DECLARATION WITH REGARD TO COMPANY/FIRM

8.1	Name of Company/firm:							
8.2	VAT registration number							
8.3	Company registration number							
		Partnership /	Joint Venture / Consortium					
	Type of Company/Firm: (Tick applicable box)	One person b	usiness / sole proprietor					
8.4		Close Corpor	ation					
		Company						
		(Pty) Limited						
				•				
8.5	Describe Principal Business Activities							
		Manufacturer						
8.6	Company Classification	Supplier						
	(Tick applicable box)	Professional service provider						
		Other service providers, e.g. transporter, etc.						
8.7	Municipal Information							
Mun	icipality where business is situated	:						
Regi	stered Account Number:							
Stan	d Number:							
8.8	Total Number of years the Compa	ny/Firm has b	een in business:					



- 9. I / we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contribution indicated in paragraph 1.4 and 6.1 of the foregoing certificate, qualifies the company/ firm for the preference(s) shown and I / we acknowledge that:
- 9.1 The information furnished is true and correct;
- 9.2 The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form.
- 9.3 In the event of a contract being awarded as a result of points claimed as shown in paragraph 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct;
- 9.4 If the B-BBEE status level of contribution has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have
  - 9.4.1 disqualify the person from the bidding process;
  - 9.4.2 recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - 9.4.3 cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - 9.4.4 restrict the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and

SIGNATURE OF BIDDER(S):		
WITNESS 1:	WITNESS 2:	
DATE:		
ADDRESS:		

9.4.5 forward the matter for criminal prosecution



#### 9. DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Municipal Bidding Document (MBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

#### 1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

- x is the imported content in Rand
- y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

# The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;



2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

\* Steel products

<mark>100%</mark>

Please submit also letters of exemption from DTI if local content is not 100%. Please ensure that you put all the items on Annexure A on which you make an offer.

 Does any portion of the goods or services offered have any imported content? (*Tick applicable box*)

YES NO			
0	YES	NO	

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on www.reservebank.co.za

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

#### NB: Bidders must submit proof of the SARB rate (s) of exchange used on date of advert

**4.** Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

SIGNATURE OF BIDDER(S):		
WITNESS 1:	WITNESS 2:	
DATE:		
ADDRESS:		



#### LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

#### LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

IN RESPECT OF TENDER NO. 8/3/44-2020 MN126-2020, ISSUED BY BERGRIVIER MUNICIPALITY. NB

- 1 The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
- 2 Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on <a href="http://www.thdti.gov.za/industrial\_development/ip.jsp">http://www.thdti.gov.za/industrial\_development/ip.jsp</a>. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. **Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below.** Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.

- (a) The facts contained herein are within my own personal knowledge.
- (b) I have satisfied myself that:
  - the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
- (c) The local content percentage (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C:

	R
Bid price, excluding VAT (y)	
	R
Imported content (x), as calculated in terms of SATS 1286:2011	
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

(d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.

Reference No: T 8/3/44-2020 MN126/	2020 Initials	Page 34 of 77
------------------------------------	---------------	---------------



(e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

	SIGNATURE	DATE
TENDERER:		
WITNESS No. 1:		
WITNESS No. 2:		

MBD 6.2 – Annexure C



BERGRIVIER MUNICIPALITY

						A	NNEXUR	E C			5	SATS 1286.2011
				Local	l Conte	ent Declara	tion – Sur	nmary Sche	dule			
(C1) Tender No. 8/3/44-2020 MN126-2020 NOTE: VAT to be excluded from									I from all calculations			
(C2) Tei	nder Description	SUPPLY, DELIVER AND INSTALL PLAYPARK EQUIPMENT IN PIKETBERG, EENDEKUIL AND VELDDRIF										
(C3) De	signated product(s)											
(C4) Tei	nder Authority											
(C5) Na	me of Tendering Entity											
(C6) Tei	nder Exchange Rate	(	Currency			Rate						
(C7 ) <mark>Sp</mark>	ecified local content 100 %	Steel Products			<mark>100%</mark>							
		Calculation of local content Tender summary										
Tende r Item No's	List of Items	Tender Price – each	Price – imported of exempted Imported Local content %							Total tender	r value Total exempted cr value imported content	Total imported content
(C8)	(C9)	(C10)	(C11)	(C12	(C12) (C13) (C14) (			(C15)	(C16)	(C17)	) (C18)	(C19)
								(0)	20) Total tender valu	<b>a</b>		
								101		- mpt imported c	content	
SIGNATI	URE OF TENDERER AS PER LOCA	L CONTENT DECLAR	ATION					(C22) Total Te	nder value net of exe			-
										(C2	23) Total Imported content	
											(C24) Total local content	
DATE										(C25) Average	e local content % of tender	

Reference No:	т	8/3/44-2020 MN126/2020	Initials	Page 36 of 77
---------------	---	------------------------	----------	---------------



_						ANNEXUR						SATS 1286.2011	
	Imported Content Declaration – Supporting Schedule to Annexure C												
(D1) <b>T</b>	ender No.								NOTE	: VA	T to be exclude	ed from all calculations	
(D2) <b>T</b>	ender Description												
(D3) D	esignated product(s)												
(D4) T	ender Authority												
(D5) <b>T</b>	endering Entity's Name												
(D6) <b>T</b>	ender Exchange Rate	Currency		Rate									
A. Exemp	oted imported content					Calculation of ir	nported content				Summary		
Tender item no's	Description of imported content	Local supplier	Overseas supplier	Foreign currency value as per Commercial Invoice	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost		Tender Quantity	Exempted imported value	
(D7)	(D8)	(D9)	(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)		(D17)	(D18)	
									(D10) Total ex		imported value		
									( <i>D19)</i> 10tai ex	empti		must correspond with	
												nnex C – C21	
B. Import	ed directly by the Tenderer					Calculation of ir	nported content					Summary	
Tender item no's	Description of imported content	Unit of measure	Overseas supplier	Foreign currency value as per Commercial Invoice	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost		Tender Quantity	Total imported value	
(D20)	(D21)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)		(D30)	(D31)	

(D32) Total imported value by tenderer

Reference No:	т	8/3/44-2020 MN126/2020	Initials	Page 37 of 77
---------------	---	------------------------	----------	---------------



SATS 1286.2011

# ANNEXURE D - Continued

## Imported Content Declaration – Supporting Schedule to Annexure C

NOTE: VAT to be excluded from all calculations

C. Imported by a 3 <sup>rd</sup> party and supplied to the Tenderer				Calculation of imported content					Summary		
Description of imported content	Unit of measure	Local supplier	Overseas supplier	Foreign currency value as per Commercial Invoice	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost	Quantity imported	Total imported value
(D33)	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
(D45) Total imported value by 3 <sup>rd</sup> party											

D. Other foreign currency payments		Calculation of foreig	n currency payments			Summary of Payments	
Type of payment	Local supplier making the payment	Overseas beneficiary	Foreign currency value paid	Tender rate of exchange			Local value of payments
(D46)	(D47)	(D48)	(D49)	(D50)			(D51)
			1	(D52) Total of	foreign currency payments declared by tenderer and/	or 3 <sup>rd</sup> party	
			(D53) <sup>-</sup>	Total o imported conte	nt and foreign currency payments – (D32), (D45) and (	D52) above	
SIGNATURE C	F TENDERER AS PER LO	CAL CONTENT DECLAR/	ATION			This tota	I must correspond with Annex C – (C23)

DATE

	Reference No:	т	8/3/44-2020 MN126/2020	Initials	Page 38 of 77
--	---------------	---	------------------------	----------	---------------

#### ANNEX E

#### Local content Declaration – Summary Schedule

(E1) Tender No.	NOTE: VAT to be excluded from all calculations
(E2)Tender Description	
(E3) Designated product(s)	
(E4) Tender Authority	
(E5) Tendering Entity's Name	

LOCAL PRODUCTS (Goods, Services and Works)								
Description of items purchased	Local suppliers	Value						
(E6)	(E7)	(E8)						

(E9) Total local products (Goods, service and works)

(E10) Manpower costs (Tenderer's own manpower cost)

(E11) Factory overheads (Rental, depreciation & amortization, utility costs, consumables, etc.)

(E12) Administration overheads and mark-up (Marketing, insurance, financing interest, etc.)

(E13) Total local content This total must correspond with Annex C – C24

SIGNATURE OF TENDERER AS PER LOCAL CONTENT DECLARATION

DATE

#### 10. MBD 8 – DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1. This Municipal Bidding Document must form part of all bids invited.
- 2. It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3. The bid of any bidder may be rejected if that bidder, or any of its directors have:
  - 3.1. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
  - 3.2. been convicted for fraud or corruption during the past five years;
  - 3.3. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
  - 3.4. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- 4. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

4.1	Is the bidder or any of its directors listed on the National Treasury's database as a company or person prohibited from doing business with the public sector? (Companies or persons who are listed on this database were informed in writing of this restriction by the National Treasury after the audi alteram partem rule was applied).	Yes	No
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? (To access this Register enter the National Treasury's website, <u>www.treasury.gov.za</u> , click on the icon "Register for Tender Defaulters" or submit your written request for a hard copy of the Register to facsimile number (012) 3265445).	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No



4.3.1	If so, furnish particulars:		
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes	No
4.4.1	If so, furnish particulars:		•
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.5.1	If so, furnish particulars:		

#### 5. CERTIFICATION

I, the undersigned (full name), \_\_\_\_\_, certify that

the information furnished on this declaration form true and correct.

I accept that, in addition to cancellation of a contract, action may be taken against me should this declaration prove to be false.

SIGNATURE:	NAME (PRINT):	
CAPACITY:	DATE:	
NAME OF FIRM:		

#### 11. CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1. This Municipal Bidding Document (MBD) must form part of all bids invited.
- 2. Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>4</sup> Collusive bidding is a *per se* prohibition meaning that it cannot be justified under any grounds.
- 3. Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
  - 3.1. take all reasonable steps to prevent such abuse;
  - 3.2. reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
  - 3.3. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- 4. This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5. In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

#### CERTIFICATE OF INDEPENDENT BID DETERMINATION:

In response to the invitation for the bid made by:

#### BERGRIVIER MUNICIPALITY

I, the undersigned, in submitting the accompanying bid, hereby make the following statements that I certify to be true and complete in every respect:

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - 5.1. has been requested to submit a bid in response to this bid invitation;

<sup>&</sup>lt;sup>4</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 42 of 77
---------------	---	------------------------	----------	---------------



- 5.2. could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
- 5.3. provides the same goods and services as the bidder and/or is in the same line of business as the bidder
- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium<sup>5</sup> will not be construed as collusive bidding.
- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:

7.1. prices;

- 7.2. geographical area where product or service will be rendered (market allocation)
- 7.3. methods, factors or formulas used to calculate prices;
- 7.4. the intention or decision to submit or not to submit, a bid;
- 7.5. the submission of a bid which does not meet the specifications and conditions of the bid; or
- 7.6. bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No. 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No. 12 of 2004 or any other applicable legislation.

SIGNATURE	NAME (PRINT)	
CAPACITY	DATE	
NAME OF FIRM		

<sup>&</sup>lt;sup>5</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.



#### 12. CERTIFICATE FOR PAYMENT OF MUNICIPAL SERVICES

# DECLARATION IN TERMS OF CLAUSE 112(1) OF THE MUNICIPAL FINANCE MANAGEMENT ACT (NO.56 OF 2003)

I declare that I am duly authorised to act on behalf of \_\_\_\_\_\_ (name of the firm) and hereby declare, that to the best of my personal knowledge, neither the firm nor any director/member/partner of said firm is in arrears on any of its municipal accounts with any municipality in the Republic of South Africa, for a period longer than 3 (three) months.

I further hereby certify that the information set out in this schedule and/or attachment(s) hereto is true and correct. The Tenderer acknowledges that failure to properly and truthfully complete this schedule may result in the tender being disqualified, and/or in the event that the tenderer is successful, the cancellation of the contract.

PHYSICAL BUSINESS ADDRESS(ES) OF THE TENDERER	MUNICIPAL ACCOUNT NUMBER

#### FURTHER DETAILS OF THE BIDDER'S Director / Shareholder / Partners, etc.:

Director / Shareholder / partner	Physical address of the Business	Municipal Account number(s)	Physical residential address of the Director / shareholder / partner	Municipal Account number(s)

 NB:
 Please attach certified copy (s) of ID document(s) and Municipal Accounts

 If the entity or any of its Directors/Shareholders/Partners, etc. rents/leases premises, a copy of the rental/lease agreement must be submitted with this tender.

Signature	Position	Date



# 13. COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993 (ACT 130 OF 1993)

COMPENSATION FOR OCCUPATIONAL INJURIES AND DISEASES ACT, 1993 (ACT 130 OF 1993)

**Bergrivier Municipality** has legal duty in terms of Section 89 of the said Act to ensure that all contractors with whom agreements are entered into for the execution of work are registered as employers in accordance with the provisions of this Act and that all the necessary assessments have been paid by the contractor.

In order to enter into this agreement, the following information is needed regarding the abovementioned:

Contractor's registration number with the office of the Compensation Commissioner:

NOTE:

A copy of the latest receipt together with a copy of the relevant assessment OR a copy of a valid Letter of Good Standing must be handed in, in this regard.

PRINT NAME:		
CAPACITY:	NAME OF FIRM	
SIGNATURE:	DATE:	



#### **14. FORM OF INDEMNITY**

#### INDEMNITY

WHEREAS the Contractor has entered into a Contract dated \_\_\_\_\_ / 20\_\_\_, with the Municipality who require this indemnity from the Contractor.

**NOW THEREFORE THIS DEED WITNESSES** that the Contractor does hereby indemnify and hold harmless the Municipality in respect of all loss or damage that may be incurred or sustained by the Municipality by reason of or in any way arising out of or caused by operations that may be carried out by the Contractor in connection with the aforementioned contract; and also in respect of all claims that may be made against the Municipality in consequence of such operations, by reason of or in any way arising out of any accidents or damage to life or property or any other cause whatsoever; and also in respect of all legal or other expenses that may be incurred by the Municipality in examining, resisting or settling any such claims; for the due performance of which the Contractor binds itself according to law.

SIGNATURE OF CONTRACTOR:	
DATE:	
SIGNATURE OF WITNESS 1:	
DATE:	
SIGNATURE OF WITNESS 2:	
DATE:	



# **PART B – SPECIFICATIONS AND PRICING SCHEDULE**





## TENDER: SUPPLY, DELIVERY AND INSTALLATION OF PLAYPARK EQUIPMENT IN PIKETBERG, EENDEKUIL AND VELDDRIF

## Attention:

Ms. I van Wyk Head: Facilities Management Bergrivier Municipality PO Box 60 **PIKETBERG** 7320

I, the undersigned,	(Full Names)
	(1011101105)

in my capacity as ..... (if applicable)

of ..... (if applicable)

Present to provide service at the following amount and subject to the conditions and specifications as set out below.

## **SPECIFICATIONS:**

#### ITEMS FOR PIKETBERG

#### AZALEA PARK

SLIDE 3.6M
All pipework shall be galvanised pipe, prepared as detailed in the "General Specification for Playground Equipment".
PLATFORM
The platform base shall be of 8 mm over 6 mm "Vastrap" steel plate 600 x 600 mm in size and shall be reinforced on the underside using 75 x 38 mm channel. It shall be fixed with at least eight x 16 mm diameter anchor bolts into a sunken concrete pedestal base 900 x 900 x 1000 mm deep. This platform shall be bolted lengthwise to the slide chute to facilitate
attaching the ladder assembly next to the chute.
Two 50 mm diameter pipe legs, 1.86 m long / 2.5 m long, shall be bolted/welded to the underside of the platform as shown. An end stay leg shall be centrally bolted to the underside of the platform and positioned as shown. A 230 x 230 x 12 mm base plate shall be welded to each leg and drilled to accommodate four 16 mm diameter anchor bolts.
HAND RAILINGS
All hand railings shall be of 25 mm diameter pipe and shall be welded to 25

Reference No: T	8/3/44-2020 MN126/2020	Initials	Page 48 of 77
-----------------	------------------------	----------	---------------



mm pipe uprights. The platform handrail shall be 760 mm high with the uprights first welded to 50 x 50 x 6 mm steel base lugs and then these lugs welded to the platform
The hand railing from the ladder shall be joined to the two platform handrails in a smooth, pinch-free joint. Nine vertical 19 mm diameter uprights and two horizontal 12 mm diameter bars shall be welded, evenly spaced between the platform handrails.
Both outer and inner hand rails on the platform shall extend down the chute for approximately 1 metre and shall be bent to follow the incline of the slide. Suitable bracing shall be provided.
ACCESS LADDER This shall be made from 65 x 6 mm flat iron sides having 400 x 100 x 8 over 6 mm Vastrap plate steps welded between them at 175 mm pitch.
The ladder shall be positioned as shown on the picture.
Hand railings on the ladder shall be 25 mm pipe. Each rail shall be welded to three 300 mm x 25 mm diameter pipe uprights evenly spaced along the length of the ladder.
The ladder shall be securely bolted to the platform and anchored at the ground using two 16 mm diameter anchor bolts for each leg. 150 x 150 x 12 mm anchor bases shall be welded to the base of each leg, and it shall be fixed to a sunken concrete pedestal with anchor bolts base of about 300 x 300 x 450 mm deep.
A tarmac base must be installed around the slide.
WOODEN PLAYING EQUIPMENT
ZET: 5,4M x 1,5M
Tanalite twisted poles approved by SABS must be used, and vertical uprights
must be set in a sunken concrete pedestal of about 300 x 300 x 450 mm
deep. Pole ends sunken into the concrete must be waterproofed with an
appropriate agent painted onto to end.
Poles – 90mm vertical and 100mm horizontal
Galvanized buttocks, nuts and chains must be used.
Equipment must be free from sharp edges

# ITEMS FOR PIKETBERG

# MANDELA PARK

SLIDE 3.6M
All pipework shall be galvanised pipe, prepared as detailed in the "General
Specification for Playground Equipment".

Reference No:	т	8/3/44-2020 MN126/2020	Initials	Page 49 of 77
---------------	---	------------------------	----------	---------------



PLATFORM
The platform base shall be of 8 mm over 6 mm "Vastrap" steel plate 600 x 600 mm in size and shall be reinforced on the underside using 75 x 38 mm channel. It shall be fixed with at least eight x 16 mm diameter anchor bolts into a sunken concrete pedestal base 900 x 900 x 1000 mm deep.
This platform shall be bolted lengthwise to the slide chute to facilitate attaching the ladder assembly next to the chute.
Two 50 mm diameter pipe legs, 1.86 m long / 2.5 m long, shall be bolted/welded to the underside of the platform as shown. An end stay leg shall be centrally bolted to the underside of the platform and positioned as shown. A 230 x 230 x 12 mm base plate shall be welded to each leg and drilled to accommodate four 16 mm diameter anchor bolts.
HAND RAILINGS
All hand railings shall be of 25 mm diameter pipe and shall be welded to 25 mm pipe uprights. The platform handrail shall be 760 mm high with the uprights first welded to 50 x 50 x 6 mm steel base lugs and then these lugs welded to the platform
The hand railing from the ladder shall be joined to the two platform handrails in a smooth, pinch-free joint. Nine vertical 19 mm diameter uprights and two horizontal 12 mm diameter bars shall be welded, evenly spaced between the platform handrails.
Both outer and inner hand rails on the platform shall extend down the chute for approximately 1 metre and shall be bent to follow the incline of the slide. Suitable bracing shall be provided.
ACCESS LADDER This shall be made from 65 x 6 mm flat iron sides having 400 x 100 x 8 over 6
mm Vastrap plate steps welded between them at 175 mm pitch. The ladder shall be positioned as shown on the picture.
Hand railings on the ladder shall be 25 mm pipe. Each rail shall be welded to three 300 mm x 25 mm diameter pipe uprights evenly spaced along the length of the ladder.
The ladder shall be securely bolted to the platform and anchored at the ground using two 16 mm diameter anchor bolts for each leg. 150 x 150 x 12 mm anchor bases shall be welded to the base of each leg, and it shall be fixed to a sunken concrete pedestal with anchor bolts base of about 300 x 300 x 450 mm deep.
A tarmac base must be installed around the slide.
WOODEN PLAYING EQUIPMENT
JOLEEN: 3M x 1,5M + 1,8M
Tanalite twisted poles approved by SABS must be used, and vertical uprights
must be set in a sunken concrete pedestal of about 300 x 300 x 450 mm

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 50 of 77
---------------	---	------------------------	----------	---------------



deep. Pole ends sunken into the concrete must be waterproofed with an appropriate agent painted onto to end.         Poles – 90mm vertical and 100mm horizontal         Galvanized buttacks, nuts and chains must be used.         Equipment must be free from sharp edges         SEE-SAW 4 SEATER         BEAM AND FITTINGS         The beam shall be a 4.5 m long x 125 mm diameter black steel pipe reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.         The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.         A bearing protection cover plate shall be botted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be botted on to a 25 x 6 mm steel for a welded from 16 acuge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.         A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivol centre.         1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.         Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.         Two seats	 BERGRIVIER MUNICIPALITY
<ul> <li>Poles – 90mm vertical and 100mm horizontal</li> <li>Galvanized buttocks, nuts and chains must be used.</li> <li>Equipment must be free from sharp edges</li> <li>SEE-SAW 4 SEATER</li> <li>BEAM AND FITINGS</li> <li>The beam shall be a 4.5 m long x 125 mm diameter black steel pipe reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.</li> <li>The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.</li> <li>A bearing protection cover plate shall be botted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be bent in a square inverted U shape and be suitably braced with cross stays welded to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.</li> <li>A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre.</li> <li>1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.</li> <li>Cut and shaped motor car tyre buffers shall be rounded smooth. Each seat shall be olifed to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seat should not be bent in a way that it collects water on the inside. Bolts used shall be of the wide cup headed flype and shall be positioned s as to make tampering with the nuts impossible.</li> <li>Two Tee shaped hand</li></ul>	deep. Pole ends sunken into the concrete must be waterproofed with an
Galvanized buttocks, nuts and chains must be used.         Equipment must be free from sharp edges         SEE-SAW 4 SEATER         BEAM AND FITTINGS         The beam shall be a 4,5 m long x 125 mm diameter black steel pipe reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.         The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.         A bearing protection cover plate shall be botted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be botted not to a 25 x 6 mm steel frame welded centrally on the beam in a square inverted U shape and be suitably braced with cross stays welded to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.         A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre. 1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.         Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.         Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shal	appropriate agent painted onto to end.
Equipment must be free from sharp edges         SEE-SAW 4 SEATER         BEAM AND FITTINGS         The beam shall be a 4.5 m long x 125 mm diameter black steel pipe reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.         The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.         A bearing protection cover plate shall be bolted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be bolted to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.         A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre.         1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.         Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.         Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in	Poles – 90mm vertical and 100mm horizontal
SEE-SAW 4 SEATER           BEAM AND FITTINGS           The beam shall be a 4,5 m long x 125 mm diameter black steel pipe reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.           The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.           A bearing protection cover plate shall be bolted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be bolted to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.           A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre.           1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.           Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.           Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside. Bolts used shall be of	Galvanized buttocks, nuts and chains must be used.
BEAM AND FITTINGS           The beam shall be a 4,5 m long x 125 mm diameter black steel pipe reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.           The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.           A bearing protection cover plate shall be botted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be bott in a square inverted U shape and be suitably braced with cross stays welded to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.           A locking device to lock the beam in either of the fully filted positions shall be provided, fitted near to the pivot centre.           1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.           Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.           Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grips. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside.	Equipment must be free from sharp edges
<ul> <li>The beam shall be a 4,5 m long x 125 mm diameter black steel pipe reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have oll sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.</li> <li>The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.</li> <li>A bearing protection cover plate shall be botted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be bent in a square inverted U shape and be suitably braced with cross stays welded to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.</li> <li>A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre.</li> <li>The beam shall be closed off 150 mm from the ends with expanding metal mesh.</li> <li>Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.</li> <li>Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grips, each 230 mm high and 280 mm wide, manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and doing the centre line of the pipe, and spaced 380 mm from the pipe ends.</li> <li><b>Cut</b> and shaped hand grips, each 230 mm high and 280 mm wide, manufactured from 25 mm galvanised pipe shall be balade off and ground smooth.</li> <li><b>CENTRE BEARING SUPPORT</b></li> <li>This shall be designed to accommodate the bearing</li></ul>	 SEE-SAW 4 SEATER
<ul> <li>reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be hot dipped galvanised after fabrication.</li> <li>The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.</li> <li>A bearing protection cover plate shall be botted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be botted to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.</li> <li>A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre.</li> <li>1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.</li> <li>Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.</li> <li>Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside. Bolts used shall be of the wide cup headed type and shall be positioned so as to make tampering with the nuts impossible.</li> <li>Two Tee shaped hand grips, each 230 mm high and 280 mm wide, manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and along the centre line of the pipe, and spaced 380 mm from</li></ul>	BEAM AND FITTINGS
The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted with easily accessible grease nipples for lubricating.         A bearing protection cover plate shall be bolted on to a 25 x 6 mm steel frame welded centrally on the beams os as to completely straddle the bearing assembly. This cover plate shall be bolted to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.         A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre.         1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.         Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.         Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside. Bolts used shall be of the wide cup headed type and shall be positioned so as to make tampering with the nuts impossible.         Two Tee shaped hand grips, each 230 mm high and 280 mm wide, manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and along the centre line of the pipe, and spaced 380 mm from the pipe ends. The ends of the hand grips shall be blanked off and ground smooth.         CENTRE BEARING SUPPORT       This shall be designed to accommodate the bearing pedestals	reinforced at the centre pivot point, welded to a steel rib 1 000 x 50 x 10 mm positioned in a vertical plane to the top and bottom centre line of this pipe. These reinforcing ribs shall be chamfered at 45 degrees at either end and shall have all sharp edges removed. This complete beam assembly shall be
A bearing protection cover plate shall be bolted on to a 25 x 6 mm steel frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be bent in a square inverted U shape and be suitably braced with cross stays welded to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a 12 mm seam to give a smooth edge all round.         A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre.         1.5 The beam shall be closed off 150 mm from the ends with expanding metal mesh.         Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.         Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside. Bolts used shall be of the wide cup headed type and shall be positioned so as to make tampering with the nuts impossible.         Two Tee shaped hand grips, each 230 mm high and 280 mm wide, manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and along the centre line of the pipe, and spaced 380 mm from the pipe ends. The ends of the hand grips shall be blanked off and ground smooth. <b>CENTRE BEARING SUPPORT</b> This shall be designed to accommodate the bearing pedestals and shall be	The beam shall be mounted on a 38 mm bright steel shaft running on two heavy duty plummer blocks with self-aligning pedestal bearings each fitted
A locking device to lock the beam in either of the fully tilted positions shall         be provided, fitted near to the pivot centre.         1.5 The beam shall be closed off 150 mm from the ends with expanding         metal mesh.         Cut and shaped motor car tyre buffers shall be folded over and bolted at         either end of the beam.         Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one         behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat         shall be bolted to a suitable full size 3 mm steel plate suitably bent and         welded to the pipe. The steel plate under the wooden seats should not be         bent in a way that it collects water on the inside. Bolts used shall be of the         wide cup headed type and shall be positioned so as to make tampering         with the nuts impossible.         Two Tee shaped hand grips, each 230 mm high and 280 mm wide,         manufactured from 25 mm galvanised pipe shall be welded vertically, two         at either end and along the centre line of the pipe, and spaced 380 mm         from the pipe ends. The ends of the hand grips shall be blanked off and         ground smooth.         CENTRE BEARING SUPPORT         This shall be designed to accommodate the bearing pedestals and shall be	frame welded centrally on the beam so as to completely straddle the bearing assembly. This cover plate shall be bent in a square inverted U shape and be suitably braced with cross stays welded to the pipe to ensure rigidity. It shall be made from 16 gauge galvanised sheeting, 450 mm long and folded to provide 250 mm sides. All edges shall be folded over with at least a
Cut and shaped motor car tyre buffers shall be folded over and bolted at either end of the beam.Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside. Bolts used shall be of the wide cup headed type and shall be positioned so as to make tampering with the nuts impossible.Two Tee shaped hand grips, each 230 mm high and 280 mm wide, manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and along the centre line of the pipe, and spaced 380 mm from the pipe ends. The ends of the hand grips shall be blanked off and ground smooth. <b>CENTRE BEARING SUPPORT</b> This shall be designed to accommodate the bearing pedestals and shall be	A locking device to lock the beam in either of the fully tilted positions shall be provided, fitted near to the pivot centre. 1.5 The beam shall be closed off 150 mm from the ends with expanding
Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside. Bolts used shall be of the wide cup headed type and shall be positioned so as to make tampering with the nuts impossible.Two Tee shaped hand grips, each 230 mm high and 280 mm wide, manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and along the centre line of the pipe, and spaced 380 mm from the pipe ends. The ends of the hand grips shall be blanked off and ground smooth.CENTRE BEARING SUPPORTThis shall be designed to accommodate the bearing pedestals and shall be	Cut and shaped motor car tyre buffers shall be folded over and bolted at
manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and along the centre line of the pipe, and spaced 380 mm from the pipe ends. The ends of the hand grips shall be blanked off and ground smooth.         CENTRE BEARING SUPPORT         This shall be designed to accommodate the bearing pedestals and shall be	Two seats made from 300 x 180 x 25 mm solid Meranti shall be fitted, one behind each Tee hand grip. Seat edges shall be rounded smooth. Each seat shall be bolted to a suitable full size 3 mm steel plate suitably bent and welded to the pipe. The steel plate under the wooden seats should not be bent in a way that it collects water on the inside. Bolts used shall be of the wide cup headed type and shall be positioned so as to make tampering with the nuts impossible.
CENTRE BEARING SUPPORT           This shall be designed to accommodate the bearing pedestals and shall be	manufactured from 25 mm galvanised pipe shall be welded vertically, two at either end and along the centre line of the pipe, and spaced 380 mm from the pipe ends. The ends of the hand grips shall be blanked off and
	CENTRE BEARING SUPPORT

 Reference No:
 T
 8/3/44-2020 MN126/2020
 Initials
 Page 51 of 77



trapezoidally with the legs spaced approximately 470 mm apart at the
bottom and 230 mm at the top.
Overall height of the beam above ground and in the horizontal position shall
be 700 mm.
The complete structure shall be braced with 38 mm diameter galvanised
pipe stays welded horizontally 300 mm above the ground.
The bearing base plate shall be robustly constructed to prevent failure due to
side sway of the beam.
The legs shall be welded and joined at their base to a 50 x 12 mm steel strip.
Eight anchor bolt holes to suit 16 mm diameter anchor bolts shall be
symmetrically drilled in this steel base strip.
FINISH
The complete structure shall be finished in blue and yellow enamel paint
colour.
INSTALLATION
Eight x 16 mm diameter anchor bolts shall be set into a concrete pedestal
base 900 x 900 x 1000 mm deep.
The tarmac base shall be 5, 5 m x 1, 70 m in size with the See Saw centrally
positioned.
Two motor car tyres shall be set into the tarmac base one at either end of
the beam to act as bump stops.

### ITEMS FOR EENDEKUIL

#### DAHLIA PARK

1. SWING 3 SEATER			
1.1	ground	shall be, 2 pairs of legs 4.2m apart and 2	
1.2	The leg	gs shall be joined together at the top by	a joint assembly.
1.3	END STAYS		
1.4	An end stay, inclined at 65 degrees to the ground, shall be bolted to both the outer leg joint assemblies using 12 mm thick lugs welded to the top flattened end of each stay.		
1.5	ANCHOR BASE PLATES		
1.6	All legs and stays shall be welded to 230 x 230 x 12 mm base plates each symmetrically drilled to accommodate four 16 mm diameter anchor bolts spaced		
1.7	CROSS BAR		
1.8	3 This shall be a continuous 50 mm diameter pipe held in place by the joint		
Refere	Reference No:         T         8/3/44-2020 MN126/2020         Initials         Page 52 of 77		



	assemblies and shall be 3,3 m above ground level
1.9	This shall be a continuous 50 mm diameter pipe held in place by the joint
	assemblies and shall be 3,3 m above ground level
1.10	JOINT ASSEMBLY
1.11	This shall consist of three thick walled 70 mm O D pipes, machined to
	accommodate in a slide fit the 50 mm diameter legs and cross bars, welded
	to two 6 mm end plates.
	5.2 A 12 mm weld nut shall be suitably positioned on each of these thick
	walled pipes to enable satisfactory locking of the legs and crossbar after
	assembly using 12 mm lock bolts.
	5.3 The two outer joint assemblies shall each have a 19 mm thick lug welded
	to its centre pipe for bolting to the end stays.
1.12	BEARING AND CHAIN
1.13	All bearings shall be sealed for life ball bearings mounted in either fabricated
	steel or cast steel housings which are to be bolted to the crossbar using 12
	mm diameter bolts. The bearings shall suit a chain swivel shaft of not less
	than 12 mm diameter. A grease nipple is to be provided in the bearing
	housing for greasing of the bearing assemblies.
1.14	The swing chain shall be a short link No. 13 galvanised 7, 1 mm chain
	attached to the bearing assembly using a 10 mm galvanised "D" shackle
	and to the seat using an 8 mm galvanised "D" shackle. Chain length shall
11/	ensure that the shackle point of the seat is 1 100 mm above the ground.
1.16	FINISH
1.17	The final paint colours shall be bright yellow, red, blue and green
	INSTALLATION
	Concrete pedestal bases shall be 300 x 300 x 450 mm deep each set with
	four 16 mm diameter anchor bolts.
	The tarmac base shall be 4 m wide and exceed the stays by 500mm on
	each side in length.

WOODEN PLAYING EQUIPMENT
ZET: 5,4M x 1,5M
Tanalite twisted poles approved by SABS must be used, and vertical uprights
must be set in a sunken concrete pedestal of about 300 x 300 x 450 mm
deep. Pole ends sunken into the concrete must be waterproofed with an
appropriate agent painted onto to end.
Poles – 90mm vertical and 100mm horizontal
Galvanized buttocks, nuts and chains must be used.
Equipment must be free from sharp edges



WOODEN PLAYING EQUIPMENT
JOLEEN: 3M x 1,5M + 1,8M
Tanalite twisted poles approved by SABS must be used, and vertical uprights
must be set in a sunken concrete pedestal of about 300 x 300 x 450 mm
deep. Pole ends sunken into the concrete must be waterproofed with an
appropriate agent painted onto to end.
Poles – 90mm vertical and 100mm horizontal
Galvanized buttocks, nuts and chains must be used.
Equipment must be free from sharp edges

## ITEMS FOR EENDEKUIL

# <u>PLAY PARK 2</u>

1. <u>SWING 3 SEATER</u>		
1.1	LEGS These shall be of 50 mm diameter pipe inclined at a 65 degree angle to the ground. There shall be, 2 pairs of legs 4.2m apart and 2 pairs of stays for the 3 seater swings.	
1.2	The legs shall be joined together at the top by a joint assembly.	
1.3	END STAYS	
1.4	An end stay, inclined at 65 degree to the ground, shall be bolted to both the outer leg joint assemblies using 12 mm thick lugs welded to the top flattened end of each stay.	
1.5	ANCHOR BASE PLATES	
1.6	All legs and stays shall be welded to 230 x 230 x 12 mm base plates each symmetrically drilled to accommodate four 16 mm diameter anchor bolts spaced	
1.7	CROSS BAR	
1.8	This shall be a continuous 50 mm diameter pipe held in place by the joint assemblies and shall be 3,3 m above ground level	
1.9	This shall be a continuous 50 mm diameter pipe held in place by the joint assemblies and shall be 3,3 m above ground level	
1.10	JOINT ASSEMBLY	
1.11	This shall consist of three thick walled 70 mm O D pipes, machined to accommodate in a slide fit the 50 mm diameter legs and cross bars, welded to two 6 mm end plates. 5.2 A 12 mm weld nut shall be suitably positioned on each of these thick walled pipes to enable satisfactory locking of the legs and crossbar after assembly using 12 mm lock bolts. 5.3 The two outer joint assemblies shall each have a 19 mm thick lug welded	

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 54 of 77
---------------	---	------------------------	----------	---------------



	to its centre pipe for bolting to the end stays.
1.12	BEARING AND CHAIN
1.13	All bearings shall be sealed for life ball bearings mounted in either fabricated steel or cast steel housings which are to be bolted to the crossbar using 12 mm diameter bolts. The bearings shall suit a chain swivel shaft of not less than 12 mm diameter. A grease nipple is to be provided in the bearing housing for greasing of the bearing assemblies.
1.14	The swing chain shall be a short link No. 13 galvanised 7, 1 mm chain attached to the bearing assembly using a 10 mm galvanised "D" shackle and to the seat using an 8 mm galvanised "D" shackle. Chain length shall ensure that the shackle point of the seat is 1 100 mm above the ground.
1.16	FINISH
1.17	The final paint colours shall be bright yellow, red, blue and green
	INSTALLATION
	Concrete pedestal bases shall be 300 x 300 x 450 mm deep each set with four 16 mm diameter anchor bolts.
	The tarmac base shall be 4 m wide and exceed the stays by 500mm on each side in length.

## ITEMS FOR VELDDRIF

# ST CHRISTOPHER PLAY PARK

	-
	SLIDE 3.6M
	All pipework shall be galvanised pipe, prepared as detailed in the "General
	Specification for Playground Equipment".
	PLATFORM
	The platform base shall be of 8 mm over 6 mm "Vastrap" steel plate 600 x 600
	mm in size and shall be reinforced on the underside using 75 x 38 mm
	channel. It shall be fixed with at least eight x 16 mm diameter anchor bolts
	into a sunken concrete pedestal base 900 x 900 x 1000 mm deep.
	This platform shall be bolted lengthwise to the slide chute to facilitate
	attaching the ladder assembly next to the chute.
	Two 50 mm diameter pipe legs, 1.86 m long / 2.5 m long, shall be
	bolted/welded to the underside of the platform as shown. An end stay leg
	shall be centrally bolted to the underside of the platform and positioned as
	shown. A 230 x 230 x 12 mm base plate shall be welded to each leg and
	drilled to accommodate four 16 mm diameter anchor bolts.
	HAND RAILINGS
	All hand railings shall be of 25 mm diameter pipe and shall be welded to 25
	mm pipe uprights. The platform handrail shall be 760 mm high with the
	uprights first welded to 50 x 50 x 6 mm steel base lugs and then these lugs
	welded to the platform
	The hand railing from the ladder shall be joined to the two platform handrails
	in a smooth, pinch-free joint. Nine vertical 19 mm diameter uprights and two
	······································
Refere	nce No: T 8/3/44-2020 MN126/2020 Initials Page 55 of 77



horizontal 12 mm diameter bars shall be welded, evenly spaced between
, ,
 the platform handrails.
Both outer and inner hand rails on the platform shall extend down the chute
for approximately 1 metre and shall be bent to follow the incline of the slide.
Suitable bracing shall be provided.
ACCESS LADDER
This shall be made from 65 x 6 mm flat iron sides having 400 x 100 x 8 over 6 mm Vastrap plate steps welded between them at 175 mm pitch.
The ladder shall be positioned as shown on the picture.
Hand railings on the ladder shall be 25 mm pipe. Each rail shall be welded to three 300 mm x 25 mm diameter pipe uprights evenly spaced along the length of the ladder.
The ladder shall be securely bolted to the platform and anchored at the ground using two 16 mm diameter anchor bolts for each leg. 150 x 150 x 12 mm anchor bases shall be welded to the base of each leg, and it shall be fixed to a sunken concrete pedestal with anchor bolts base of about 300 x 300 x 450 mm deep.
A tarmac base must be installed around the slide.

#### Material and workmanship must be guaranteed for 12 months from installation against breakages and rust. Parts that are found to be defective must be replace at any time.

# Delivery and installation three (3) weeks from date when order form has been received.

On Completion of installation, a completion certificate must be submitted, which guarantees that it was professionally installed and is suitable for use by the public.



# (NOTE: VAT must be included in tender if you are vat registered)

## **AMOUNT IN FIGURES FOR PIKETBERG**

	ITEM	QUANTITY	TENDER AMOUNT
1.	Slide 3.6m	X 2	R
2.	See-saw 4 seater	X 1	R
3.	Zet: 5,4m x 1,5m	X 1	R
4.	Joleen: 3m x 1,5m + 1,8m	X 1	R
	TOTAL :		R

## **AMOUNT IN FIGURES FOR EENDEKUIL**

		TENDER AMOUNT
ITEM	QUANTITY	
Swing 3 seater	X 2	R
Zet: 5,4m x 1,5m	X 1	R
Joleen: 3m x 1,5m + 1,8m	X 1	R
TOTAL :		R



## AMOUNT IN FIGURES FOR VELDDRIF

		TENDER	AMOUNT
ITEM	QUANTITY		
Slide 3.6m	X 1	R	
TOTAL :		R	

Grand Total (VAT Inclusive)	R

Name & Surname of service providers:
Identity No of owner:
Postal address of service provider:
Signature of service provider:
Date:

# **Reference:** Give at least two (3) references for similar assignments:

Name of business	Type of service rendered	Contact person	Tel / Cell Number



# PICTURES FOR ILLUSGTRATION PURPOSES ONLY

Swing



# Slide






## See – Saw 4 Seater




#### Zet





Joleen



#### **TECHNICAL SPECIFICATIONS**

#### 1. SCOPE OF WORKS AND GENERAL PROVISIONS

Tenders are hereby requested from competent and experienced contractors, with a CIDB-grading of **1GB** and higher, for the supply, delivery and installation of play park equipment at Piketberg, Eendekuil and Velddrif. The successful service provider cannot subcontract more than 25% of the work, and such subcontracting can only be done pursuant to the written permission of the municipality. Any consent granted in this regard, and the appointment of a subcontractor shall not imply a contract between the Municipality and the subcontractor, or a responsibility or liability on the part of the Municipality to the subcontractor and shall not relieve the Contractor from any liability or obligation under the Contract and he/she shall be liable for the acts, defaults and neglects of any subcontractor, his agents or employees as fully as if they were the acts, defaults or neglects of the Contractor, his agents or employees. All work must be done according to the Occupational Health and Safety Act, (Act No. 85 of 1993) Gazetted in Vol. 440, No. 23108, 10 February 2002, Regulation Gazette, No. 7276 No. R. 155. The work must commence within 7 days after receiving an official order, and it must be completed within 40 working days (save for any indulgences allowed for in the sole and exclusive discretion of the municipality).



### 2. CONDITIONS OF CONTRACT

The General Conditions of Contract for Construction Works, Third Edition (2015) published by the South African Institution of Civil Engineering, Private Bag X200, Halfway House, 1685, is applicable to this Contract and is obtainable from www.saice.org.za. Work carried out under this Contract, must conform to the South African National Standards.

The following general conditions of contract must also be noted by the contractor;

- It is the responsibility of the Contractor to have knowledge of the extent and nature of the work and materials required for carrying out the completion of the works before submitting his tender.
- The Contractor shall take instructions only from the Employer's Agent, the Employer's Agent's Representative.
- In order to carry out and complete the Works the Contractor shall employ on the site only such persons that are careful, competent and efficient in their various trades and professions.
- The Contractor shall provide all necessary supervision while carrying out the Works.
- On Completion of the Works the Contractor shall clear away and remove from the Site all Construction Equipment, surplus material, rubble and Temporary Works.
- The quality of plants, workmanship and materials must be suitable for the purposes intended, to the satisfaction of the municipality.
- At completion of the works, adequate notice must be given to the municipality for inspection purposes, before an invoice can be submitted or signed off.
- The Contractor must comply with, and must ensure that its employees and visitors comply with, all relevant and applicable laws, codes, standards, guidelines, rules, policies and procedures relating to health and safety in the work-place.
- Before carrying out any work at the municipal premises, the Contractor must identify any foreseeable hazards associated with the place of work and the work to be carried out by the Contractor, that has the potential to harm the health or safety of any person, assess the risk of harm to the health or safety of any person arising from any hazard identified, and
- Eliminate any reasonably foreseeable risk to the health or safety of any person arising from any hazard identified or, if it is not reasonably practicable to eliminate the risk, develop measures or procedures to effectively control the risk.
- The Contractor must ensure that each employee has the necessary skills, knowledge, qualifications, training, competence and experience, to carry out

Reference No: T 8/3/4	4-2020 MN126/2020	Initials	Page 62 of 77
-----------------------	-------------------	----------	---------------



the work, including qualifications, certification and competencies required under the OHS Act 85 0f 1993 and the OHS Regulations.

## 3. PERSONAL PROTECTIVE EQUIPMENT

The Contractor must ensure that each person carrying out work at or visiting the premises is provided with, and wears at all times if necessary, all the appropriate personal protective equipment including if required, but not limited to:

(a) Head protection (safety helmet),

(b) Protective footwear (laced-up with steel toe protector),

(c) Hearing protectors (including ear plugs, ear canal caps, ear muffs and hearing protective helmets),

(d) Eye protection equipment (including safety glasses or goggles (with sun protection where necessary), wide-vision goggles, face shield and hood),

(e) Respiratory protection (including particulate respirator, gas filter respirator and supplied air respirator),

(f) Hand protection (including safety gloves),

(g) Wet weather clothing and footwear,

(h) Sun protection cream when exposed to excessive sun,

(i) High visibility safety clothing or safety vests when working close to moving traffic or construction vehicles.

(j) Is informed of any limitations of the equipment, and

(j) Is provided with the instruction and training necessary to ensure that the equipment controls the risk for which it is provided.

## 4. CERTIFICATION OF EMPLOYEES

The Contractor must ensure that each employee who will be carrying out scheduled work under the relevant regulations holds a recognized qualification or a certificate of competency issued by an approved training authority.

#### 5. DEMARCATION OF WORK AREAS

Work areas that pose a potential danger to people and public, must be visibly or structurally cordoned off with barriers, netting or wire-fencing with hazard tape applied in zig-zag formation. The method used must be suitable for the purpose, e.g. physical barriers or fences must be used to prevent people from falling into holes. The barriers, netting and wire- fencing hazard tape must be neat and clearly visible. Temporary lighting or effective reflectors shall be implemented if the danger exists that barriers become ineffective during poor visibility or darkness. Clearly visible Safety Signs shall be installed by the contractor to alert third parties entering the work area of the dangers / hazards that exists in such a work area. These signs shall comply with SABS standards and shall be appropriate for the type of work performed in the work area.

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 63 of 77
---------------	---	------------------------	----------	---------------



6. CONDUCT OF CONTRACTOR'S PERSONNEL

The Contractor shall instruct its employees to comply with the following

- a) No one shall enter any part of the Municipality's premises, including the work site, other than for the purpose carrying out the work specified for the project.
- b) A Contractor may not commence with work on a site, before their presence has been notified to the person in charge of the site.
- c) All staff and Contractor personnel needing access must be issued by the Contractor with a suitable form of identification.
- d) No fire shall be started on the premises, and no leisure activities shall be conducted.
- e) Personal protective equipment shall be used and worn in accordance with the safety regulations.
- f) Horseplay, fooling around, skylarking, music, loud-talking or singing, swimming, drinking, practical joking, fighting or acting irresponsibly or in an undignified manner is prohibited. Good discipline must be maintained at all times.
- g) Stacked items shall be stable and stacked neatly at all times.
- h) Workers shall not clean dust from overalls or skin with compressed air.
- i) Access to and from the work area, must only be via recognised roads or access ways, and not over fences.
- j) Every contract employee must be familiar with the meaning of and obey safety signs / symbols.
- k) Maintenance work (if any) on electrically powered equipment, tools and machinery shall only be performed by suitably qualified personnel.
- The electrical supply to such equipment shall be switched off at the appropriate isolation switch during the time that protective covers are removed and while physical work is performed on any non-insulated electrical component parts.
- m) The isolation switch to such equipment shall preferably be locked during the time of the maintenance work and the key to such a lock shall be carried by the person performing the maintenance work.
- n) If it is not possible to lock the isolation switch, the person performing the maintenance work shall secure a clear "Men At Work" sign onto the isolation switch or onto the door or cover that covers such isolation switch.
- o) The person performing such maintenance work shall before commencing any physical work on non-insulated component parts; ensure that there is no electrical power present at such parts, by performing a test using a reliable instrument.
- p) Contractor's employees must obey the barricaded areas and safety signs erected by other contractors.

Reference No: T 8/3/44-2020 MN126/2020	Initials	Page 64 of 77
--	----------	---------------



- q) Certain facilities may be equipped with electrified security fences. These fences should be considered live at all times when working next to them.
- r) It is essential that good housekeeping be maintained throughout the period of any work both at the work site and in and around any temporary buildings. The working area is to be kept tidy at all times, escape and other access ways kept clear, safety and fire-fighting equipment kept accessible and surplus/scrap material removed daily. Cleaning up only at the end of a job is not considered sufficient. Spillage of oil or chemicals shall be cleared up immediately in view of the hazards of fire, slippery surfaces, toxic substances, etc. Appropriate safety precautions shall be taken during the clearing up.
- s) Refuse, especially flammable material (waste rags, waste paper etc.), may only be placed in suitably marked refuse bins. The use of flammable solvents and gasoline for cleaning purposes must be avoided.
- t) The Contractor's specific attention is drawn to the fact that undisturbed piles of rag or cloth or other media soaked in oil, grease or petrol can spontaneously ignite and must therefore be disposed of on a daily basis in the appropriate manner.
- u) The dumping of litter in storm water and sewer systems is prohibited.

# 7. RIGHT OF ACCESS

The municipality may refuse access to a work site by any one of the Contractors personnel who is demonstrably guilty of misconduct, or who has proven by his / her action to have a disregard for any of the relevant health and safety requirements. Such action taken against or by the Contractor shall not result in any claims against the Municipality by the Contractor. Incidents involving misconduct includes, but is not limited to

- Possession of illegal drugs, liquor or other intoxicating substances on the premises;
- Intoxication, and/or consumption of an intoxicating substance;
- Unauthorized possession or use of the property of Bergriver Municipality;
- Fighting/assaulting of personnel, residents and or visitors;
- Possession of dangerous weapons;
- Violation of health and safety rules as stipulated in this specification or any other notice displayed on site.

## 8. CONDUCT ON SITE

The contractor shall not allow unauthorized, untrained or unlicensed operators to operate equipment or vehicles in the facility. No contractor vehicle, equipment or machine will be permitted onto the facility unless:

<b>Reference No:</b>	Т	8/3/44-2020 MN126/2020	Initials	Page 65 of 77
----------------------	---	------------------------	----------	---------------



- Such vehicle is in a roadworthy condition, and in the case of equipment and machines, has been inspected and approved by the Contractor's Responsible Person.
- Contractor machines and equipment must display suitable identification, stating a re-inspection date. Contractors may be required to remove machines or equipment without valid identification from the facility premises.
- Contractor vehicles, equipment and machinery are subject to a visual road worthy check and/ or a safety inspection by the Municipality.

The following will be applicable to the Operation of vehicles:

- All drivers must hold and be able to produce a valid driver's license.
- A maximum speed limit inside the construction site is 10km/h, unless otherwise indicated.
- Always give way for emergency vehicles (fire, ambulance or rescue vehicles).
- Warning, safety and road signs must always be obeyed.
- Pedestrians have the right of way in the work area.
- All passengers must be properly seated.
- Overloading of vehicles is not permitted.
- People and freight may not be transported together unless the freight has been secured and sufficient, safe seats separate from the freight, have been provided.
- Transporting passengers on cranes, forklifts, mechanical shovels or other equipment is prohibited, unless such vehicles are equipped with additional seating.
- Reckless driving or non-observance of these instructions may be cause for the withdrawal of the authorisation of the driver to operate within the construction site.
- The occupants of vehicles, whilst on Municipal related business, including journeys to and from work sites, must wear seat belts where fitted to any vehicle as a local legislative requirement.
- During the removal of material, or excavations if necessary, the Contractor shall take extra care not to damage any underground equipment.
- If any such equipment is damaged during excavations, the necessary precautions shall be taken immediately to make the situation as safe as reasonably possible, and the relevant Municipal maintenance manager or standby contact person must be contacted immediately for advice on further action to be taken, and all repairs required will be for the account of the contractor.



## 9. SAFETY EQUIPMENT AND PERSONAL PROTECTIVE EQUIPMENT

- The Contractor will be responsible to provide adequate and appropriate first aid equipment and other safety equipment of an approved type and quantity, as may be specified (or expected in accordance with good working practice), and shall maintain this equipment in a professional manner as dictated by legal and industry standards. In addition, the Contractor shall keep up-to-date records of all said equipment.
- If there are more than 5 contractor employees on a work site, the contractor shall provide a properly equipped First Aid box on site. At least one employee per group of 10 shall have a valid First Aid Training certificate.
- The contractor shall ensure that all contract personnel under his supervision have been trained in the proper use, maintenance and limitations of safety equipment.
- The Contractor's Responsible Person must not require, or permit a contract employee to work unless the required safety equipment is used.
- The Contractor shall supply its personnel and sub-contractor's personnel with adequate protective clothing and equipment as required in connection with the safe performance of the work. The personal protective clothing and other protective equipment shall be maintained in good condition, and shall be worn on all relevant occasions as indicated by notices, instructions, work permits, safety regulations and good practice.
- Only SABS-approved safety shoes must be worn in operating and construction areas.
- Safety hats are to be worn at all sites where there is a possibility of head injuries.
- Gloves of a type approved, must be worn whenever handling hazardous chemical substances, or if there is a possibility of cutting the skin when abrasive or sharp materials are being man-handled.
- Hearing protection of a type approved, must be worn in all areas classified and demarcated as noise zones or when working with machinery that generates noise above 85dB (A), such as compactors and jackhammers etc.
- Safety glasses and face shields must be worn when involved in a concussive or abrasive operation likely to cause flying debris, or when gas or arc welding/cutting is being carried out, or when decanting or handling hazardous chemicals.
- Sand blasting, grinding and disc cutting operations, should preferably be done using equipment and/or procedures that do not produce dust. In cases where this is not possible, SABS-approved respiratory equipment must be worn and the area must be enclosed to contain dust generation to a minimum.



- Safety harnesses shall be used to secure workers to building structures when working at elevated heights (2 meters) and where a risk of falling from such heights is not protected by any other means.
- The wearing of loose over-clothes, sandals and/or shorts in the facility's operational areas and for construction work, is prohibited. Long sleeve shirts and long trousers, preferably overalls, must be worn. Long hair constitutes a hazard around machinery and must be properly secured.

## **10. COMPENSATION FOR INJURY**

The Contractor must provide proof of registration with the Compensation Fund (COIDA) by means of submitting a valid Letter of Good Standing to the Municipality. It is the contractor's responsibility to forward any relevant accident / injury documentation and details to the commissioner on behalf of its employees.

## 11. REPORTING OF ACCIDENTS AND INCIDENTS

Any incident, condition or act that could or could have caused injury, damage or loss or affect the environment must be reported to the Municipality. Such reports shall include but not be limited to the following:

- fatalities and lost-time injuries to its personnel or sub-contractor personnel;
- comparable injury to third parties;
- damage to plant or equipment;
- loss of containment;
- actual or potential damage to the environment;
- outbreak of fires.

The contractor is responsible for reporting, in terms of the OHSAct (85 of 1993), all "reportable incidents" to the Department of labour. Immediate notification shall be followed by a full Incident Investigation Report to the Municipality's Responsible Person within 24 hours for serious accidents and 72 hours for minor accidents.

#### 12. ENVIRONMENTAL AWARENESS

The Contractor must take note that the work will be carry out in an environmentallysensitive area, and he/she shall;

- pay due regard to the environment by preserving air, water, soil, animal and plant live from adverse effects of the Contractors activities, and minimise any nuisance which may arise from such operations.
- The Contractor must at all times adhere to the environmental laws and impact control guidelines and procedures published from time to time.
- Ad-hoc dumping on any part of the facility is strictly prohibited.

Reference No: T 8/3/44-2020 MN12	26/2020 Initials	Page 68 of 77
----------------------------------	------------------	---------------



- Liquid waste or sludge shall not be allowed to enter the storm water/sewer system or the ocean and should never endanger any wildlife on or in close proximity of the site.
- In the event of any product stored in tanks or pipelines being accidentally, or otherwise, released, the facility manager and/or the relevant municipal official must be informed without delay.
- Machinery to be used at the facility must be fitted with muffling devices to reduce the likelihood of noise pollution.

## 13. OCCUPATIONAL HEALTH AND HYGIENE

The Contractor shall be responsible for the medical welfare of its own and subcontractor personnel. The Contractor shall ensure that all its personnel and subcontractor's personnel are medically fit to perform their work. If requested by the Municipality, the Contractor shall provide medical certificates for its own and subcontractor's personnel. The Contractor shall adhere to all applicable government regulations or the Municipality's guidelines for medical surveillance or industrial hygiene monitoring. The Contractor shall ensure that its personnel and subcontractor's personnel maintain the highest standards of hygiene at all times.

## 14. SPECIFIC UNDERTAKING BY CONTRACTOR'S MANAGEMENT

We/I, representing the contractor, have read and understand the Health, Safety & Environmental requirements stated herein and we undertake to adhere to the letter and spirit of these rules. We undertake to train our employees and to enforce the implementation thereof at all levels in our organisation. We understand that the breach of the Health, Safety & Environmental rules will be considered as a serious breach of this agreement and that it can lead to the permanent cancellation of this agreement, and the concomitant recovery of any losses suffered by the municipality.



#### 15. SCHEDULE OF PLANT AND EQUIPMENT

The following are lists of major items of relevant equipment that I/we **presently** own or lease and will have available for this contract or will acquire or hire for this contract if my / our tender is accepted.

	1. DETAILS OF MAJOR EQUIPMENT THAT IS OWNED BY AND IMMEDIATELY AVAILABLE FOR THIS CONTRACT.				
QUANTITY	DESCRIPTION	SIZE	CAPACITY		

Attach additional pages if mores space is required.

2. DETAIL OF MAJOR EQUIPMENT THAT WILL BE HIRED, ORE ACQUIRED FOR THIS CONTRACT IF MY / OUR TENDER IS ACCEPTED.					
QUANTITY	DESCRIPTION,	SIZE	CAPACITY		
	Attach additional pages if marca apace is				

Attach additional pages if mores space is required.

Number of sheets appended by the tenderer to this schedule (If nil, enter NIL)	
--	--



#### **16. SCHEDULE OF SUBCONTRACTORS**

I/we the tenderer, notify the Bergrivier Municipality that it is our intention to employ the following Subcontractors for work in this contract:

	SUBCONTRACTORS					
Category / Type	Subcontr	ractor Name; Address; Contact Person; Tel. No.	Items of work (pay items) to be undertaken by the Subcontractor	Estimated cost of Work (Rand)		
	Name of firm					
1.	Contact person					
1.	Tel No					
	Address					
	Name of firm					
2.	Contact person					
Ζ.	Tel No					
	Address					
	Name of firm					
3.	Contact person					
э.	Tel No					
	Address					
	Name of firm					
4.	Contact person					
4.	Tel No					
	Address					
	Name of firm					
5.	Contact person					
	Tel No					
	Address					
Number of sh	neets appended	by the tenderer to this schedule (If nil, enter NIL)				

Acceptance of this tender shall not be construed as approval of all or any of the listed subcontractors. Should any of the subcontractors not be approved subsequent to acceptance of the tender, this shall in no way invalidate this tender, and the tendered unit rates for the various items of work shall remain final and binding, even in the event of a subcontractor not listed above being approved by the Engineer.

SIGNATURE	NAME (PRINT)	
CAPACITY	DATE	
NAME OF FIRM		



#### **17. SCHEDULE OF WORK EXPERIENCE OF THE TENDERER – CURRENT CONTRACTS**

CURRENT CONTRACTS					
EMPLOYER (Name, Tel, Fax, Ema	Contact Perso il) (Name, Tel, Fax, E		VALUE OF WORK (INCL. VAT)	DATE COMPLETED	
Name	Name				
Tel	Tel				
Fax	Fax				
Email	Email				
Name	Name				
Tel	Tel				
Fax	Fax				
Email	Email				
Name	Name				
Tel	Tel				
Fax	Fax				
Email	Email				
Name	Name				
Tel	Tel				
Fax	Fax				
Email	Email				
Name	Name				
Tel	Tel				
Fax	Fax				
Email	Email				
Name	Name				
Tel	Tel				
Fax	Fax				
Email	Email				
Name	Name				
Tel	Tel				
Fax	Fax				
Email	Email				

Attach additional pages if mores space is required.

т

Number of sheets appended by the tenderer to this schedule (If nil, enter NIL)				
SIGNATURE		NAME (PRINT)		
CAPACITY		DATE		
NAME OF FIRM				



#### 18. SCHEDULE OF WORK EXPERIENCE OF THE TENDERER - COMPLETED CONTRACTS

The following is a statement of similar work successfully executed by myself / ourselves:

	COMPLETED CONTRACTS					
EMPLOYER (Name, Tel, Fax, Emai	il) (l	Contact Person Name, Tel, Fax, Email)	NATURE OF WORK	VALUE OF WORK (INCL. VAT)	DATE COMPLETED	
Name	Name		_			
Tel	Tel					
Fax	Fax					
Email	Email					
Name	Name					
Tel	Tel					
Fax	Fax					
Email	Email					
Name	Name					
Tel	Tel					
Fax	Fax					
Email	Email					
Name	Name					
Tel	Tel					
Fax	Fax					
Email	Email					
Name	Name					
Tel	Tel					
Fax	Fax					
Email	Email					
Name	Name					
Tel	Tel					
Fax	Fax					
Email	Email					

Attach additional pages if mores space is required.

Number of sheets appended by the tenderer to this schedule (If nil, enter NIL)



#### 19. FORM OF OFFER AND ACCEPTANCE

	NOTE:	l
1.	This form must be completed in duplicate by both the successful bidder (Part 1) and the purchaser (Part 2). Both	
	forms must be signed in the original so that the successful bidder and the purchaser will be in possession of	l
	originally signed contracts for their respective records.	I

NOTE

- 2. NO correction fluid/tape may be used.
  - a. In the event of a mistake having been made, it shall be crossed out in ink and be accompanied by an initial at each and every alteration.
- 3. The Bidder MUST indicate whether he/she/the entity is a registered VAT Vendor or not.
  - a. In the case of the Bidder not being a registered VAT Vendor, both columns (amount/rate excluding AND including VAT) must reflect the same amount.

	INDICATE WITH AN 'X'				
Are you/is the firm a registered VAT Vendor	YES NO				
If "YES", please provide VAT number					

1. OFFER

- 1.1. The Employer, identified in the Acceptance signature block, has solicited offers to enter into a contract in respect of the following works; TENDER 8/3/44-2020 MN126/2020
- 1.2. The tenderer, identified in the Offer signature block, has examined the draft contract as listed in the Acceptance section and agreed to provide this Offer.
- 1.3. By the representative of the Tenderer, deemed to be duly authorized, signing this part of this Form of Offer and Acceptance, the Tenderer offers to perform all of the obligations and liabilities of the **Employer** under the contract, including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the Contract Data.

THE OFFERED TOTAL OF THE PRICES INCLUSIVE OF VAT IS:			
In figures:	R		
In words:			

1.4. This Offer may be accepted by the Employer by signing the Acceptance part of this Form of Offer and Acceptance and returning one copy of this document to the Tenderer before the end of the period of validity stated in the Tender Data, whereupon the Tenderer becomes the party named as the **Contractor** in the conditions of contract identified in the Contract Data.

Signature(s)			
Name(s)			
Capacity			
Name of tenderer:			
Name of witness:	(Insert name and address of organization)	Date	
Signature of witness:			

**Reference No:** 



#### 2. ACCEPTANCE

- 2.1. By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.
- 2.2. Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.
- 2.3. It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

Signature(s):					
Name(s):					
Capacity:					
For the Employer:	Bergrivier Municipality, Kerk Street, Piketberg, 7320				
Name of witness:		Date:			
Signature of witness:		Date.			

Reference No:	Т	8/3/44-2020 MN126/2020	Initials	Page 75 of 77
---------------	---	------------------------	----------	---------------



#### 20. PRICING SCHEDULE

#### NOTE:

- 1. Only firm prices will be accepted. Non-firm prices will not be considered.
- 2. All delivery costs MUST be included in the bid price, for delivery at the prescribed destination.
- 3. Document MUST be completed in non-erasable black ink.
- 4. NO correction fluid/tape may be used.
  - a. In the event of a mistake having been made, it shall be crossed out in ink and be accompanied by an initial at each and every alteration.
- 5. The Bidder MUST indicate whether he/she/the entity is a registered VAT Vendor or not.
  - a. In the case of the Bidder not being a registered VAT Vendor, both columns (amount/rate excluding AND including VAT) must reflect the same amount.

I/We\_\_\_\_\_

(full name of Bidder) the undersigned in my capacity as \_\_\_\_\_

of the firm

hereby offer to BERGRIVIER Municipality to render the services as described, in accordance with the

specification and conditions of contract to the entire satisfaction of the BERGRIVIER Municipality and subject to

the conditions of tender, for the amounts indicated hereunder:

	INDICATE WITH AN 'X'								
Are you/is the firm a registered VAT Vendor	YES					NO			
If "YES", please provide VAT number									

#### Please note the following:

- 1. BERGRIVIER Municipality reserves the right to downward adjust the scope of work/ quantity required to stay within its budget.
- 2. Only firm prices will be accepted and non-firm prices will not be considered.

Reference No:	T 8/3/44-2020 MN126/2020	Initials	Page 76 of 77
---------------	--------------------------	----------	---------------



#### 21. DECLARATION BY TENDERER

I / We acknowledge that I / we am / are fully acquainted with the contents of the conditions of tender of this tender document and that I / we accept the conditions in all respects.

I / We agree that the laws of the Republic of South Africa shall be applicable to the contract resulting from the acceptance of \*my / our tender and that I / we elect *domicillium citandi et executandi* (physical address at which legal proceedings may be instituted) in the Republic at:

I / We accept full responsibility for the proper execution and fulfillment of all obligations and conditions devolving in me / us under this agreement as the principal liable for the due fulfillment of this contract.

I / We furthermore confirm I / we satisfied myself / ourselves as to the corrections and validity of my / our tender; that the price quoted cover all the work / items specified in the tender documents and that the price(s) cover all my / our obligations under a resulting contract and that I / we accept that any mistake(s) regarding price and calculations will be at my / our risk.

I / We furthermore confirm that my / our offer remains binding upon me / us and open for acceptance by the Purchases / Employer during the validity period indicated and calculated from the closing date of the bid.

SIGNATURE	NAME (PRINT)	
CAPACITY	DATE	
NAME OF FIRM		
WITNESS 1	WITNESS 2	